Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

DECK LOG-TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK LOG BOOK

OF THE

U.S.S. ABNAKI

ATF-96
IDENTIFICATION NUMBER

COMMANDED BY

LT. C.C. REED, U.S.N.

Attached to
_____ Division,
_____ Squadron,
_____ Flotilla,
SERVICE FORCE U.S. Fleet,
_____ Naval District,

Commencing +9V 1 FEBRUARY, 1964,
(zone time and date)

at 32-40 N 136-40.5 W,
(location)

and ending +10W 29 FEBRUARY, 1964,
(zone time and date)

at PEARL HARBOR, HAWAII
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVY—PEARL HARBOR

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ _____ , 19 ____

(Day) (Date) (Month)

APPROVED:

EXAMINED:

_____ U. S. N. COMMANDING

_____ U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE SATURDAY (Day) 1 (Date) FEBRUARY (Month), 19 64

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO SAN FRANCISCO, CALIF.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	075	9	9	BKN	3042	65	60	9	1000	SC	64	100	3
02	080	9	9	BKN	3041	65	60	9	1000	SC	64	100	3
03	080	9	9	BKN	3042	65	58	9	1000	SC	64	100	3
04	080	9	8	BKN	3040	65	58	9	1000	SC	64	100	2
05	090	11	8	OVC	3038	64	60	10	1000	ST	64	100	2
06	090	11	10	OVC	3036	64	60	10	1000	ST	64	100	2
07	105	13	10	OVC	3036	65	59	10	1000	SC	62	100	8
08	148	14	10	OVC	3038	65	58	10	1000	SC	66	100	8
09	087	15	10	OVC	3040	65	58	10	1000	SC	66	100	5
10	088	15	10	OVC	3043	65	58	10	1000	SC	66	100	5
11	080	11	10	OVC	3045	65	58	10	1000	SC	66	100	4
12	085	11	10	OVC	3047	65	58	10	1000	SC	66	100	3
13	090	11	10	OVC	3048	64	58	10	1000	SC	65	100	3
14	090	11	10	BKN	3046	64	58	8	1200	SC	65	100	2
15	090	10	10	BKN	3045	64	58	8	1200	SC	65	100	2
16	078	10	10	BKN	3044	64	58	7	1400	SC	64	100	2
17	052	11	10	BKN	3044	63	58	7	1400	SC	64	100	2
18	037	9	10	OVC	3045	63	58	10	1000	SC	64	100	2
19	030	24	10	SCT	3043	63	58	5	1600	SC	64	100	2
20	045	20	10	SCT	3043	63	58	5	1600	SC	63	100	2
21	075	16	10	SCT	3044	63	58	4	1600	SC	63	100	2
22	070	10	10	SCT	3045	63	58	3	1600	SC	63	100	2
23	070	9	10	SCT	3043	63	58	3	1600	SC	63	100	2
24	070	9	10	SCT	3042	62	58	2	1600	SC	63	100	2

POSITION	ZONE	TIME
0800 L	31-26 N	BY 2
λ	138-29 W	BY 2
1200 L	31-50 N	BY 2
λ	137-33 W	BY 2
2000 L	32-40 N	BY 2
λ	135-49 W	BY 2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 0800 (ZT) 1 FEB (Date)

TO 2000 (ZT) 1 FEB (Date)

SET 063

DRIFT .05 kt

POSITION BETWEEN FIXES

MID. L 31 45' N

MID. λ 137. 30 W

MILES STEAMED 0000-2400: 299.0

FUEL CONSUMED 0000-2400: 2471

REMARKS

04-04. STEAMING INDEPENDENTLY ENROUTE FROM PEARL HARBOR, HAWAII TO SAN FRANCISCO, CALIFORNIA IN ACCORDANCE WITH COMSERV PAC SAILORD 1604 17 OF JANUARY 1964 ON BASE COURSE 063°, BASE SPEED 12.1 KNTS. MODIFIED MATERIAL CONDITION YOKE, READINESS CONDITION IV, ENGINEERING CONDITION III, AND DAMAGE CONTROL CONDITION III SET 2400 ADVANCED ALL CLOCKS ONE HOUR TO CONFORM WITH +9 VICTOR TIME ZONE

J E Harton
LTJG USN.

04-08 UNDER WAY AS BEFORE 0745 MUSTER ON STATIONS: NO ABSENTEE'S TESTED WHISTLE SIREN GENERAL CHEMICAL AND STEERING ALARMS: TEST SATISFACTORY

D H DeLoume BMCA USN

APPROVED: C C Redd Lt U. S. N. COMMANDING

EXAMINED: R D Mason, Jr. Lt U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 1 (Date) FEBRUARY (Month) 1964

08-12 underway as before ~~0900~~ 0830 c/s 12.8 kts- the commanding officer held mast and imposed ~~the~~ Non-Judicial punishment as follows: WHIFFEN, H. L., 597-34-91, SN, USN, offense: violating ABNAKI INSTRUCTION 1020.1B of 1 Jan 61 and ART 134 UCMJ (Disorderly aboard ship). punishment: Reduction to the next inferior (rate) pay grade and confinement on ~~reduced~~ diminished rations for three (3) days. 0905 made daily inspection of magazines. Conditions: normal.

J D Hollis. CWO 2 USN

12-16 Underway as before

Wm Dunn Ens USN

16-18 Underway as Before

H C Hartman
LT USN

18-20 UNDERWAY AS BEFORE

F H Delaune BMCA USN

20-24 underway as before:

J D Hollis. CWO 2

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Mason, Stg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +9N DATE Sunday (Day) 2 (Date) February (Month), 1964

AT/PASSAGE FROM Pearl Harbor Hawaii TO San Francisco Cal

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	074	9	10	Sct	3040	61	58	2	7000	Sc	62	080	2
02	075	8	10	Sct	3039	60	59	3	7000	Sc	62	085	2
03	075	8	10	Sct	3038	60	59	4	7000	Sc	62	085	2
04	020	14	10	BKN	3041	60	59	8	1000	Sc	62	085	2
05	010	16	10	BKN	3041	60	58	8	1000	Sc	62	085	2
06	000	18	8	BKN	3041	59	58	8	1000	Sc	62	085	2
07	033	13	8	BKN	3040	59	58	7	1000	Sc	62	085	2
08	352	18	6	GF	3041	59	57	7	1000	Sc	62	030	2
09	350	18	6	BKN	3039	60	57	7	1000	Cu	62	030	2
10	330	21	10	Sct	3036	60	56	5	1000	Cu	62	030	2
11	330	24	10	Sct	3040	60	55	5	1000	Cu	62	030	2
12	052	10	10	Sct	3036	61	56	5	7000	Cu	62	030	2
13	042	11	10	Sct	3032	61	55	4	2200	Cu	62	030	2
14	052	11	10	Sct	3032	62	54	4	2000	Cu	63	030	2
15	033	13	10	Sct	3031	62	56	3	2000	Cu	62	030	2
16	035	13	10	Sct	3029	61	56	2	2000	Cu	62	040	2
17	035	15	10	Sct	3028	60	56	1	3000	Cu	62	040	2
18	353	17	10	CLR	3027	59	57				63	045	3
19	350	16	10	CLR	3026	59	56				63	045	3
20	350	18	10	CLR	3026	59	56				62	050	5
21	352	23	10	CLR	3026	59	56				62	050	5
22	345	25	10	CLR	3025	59	56				62	030	5
23	340	24	10	CLR	3024	58	56				62	035	5
24	017	15	10	CLR	3024	58	56				62	035	5

POSITION	ZONE	TIME
0800 L	33-50 N	BY 2
λ	133-12 W	BY 2
1200 L	34-07 N	BY 2
λ	132-21 W	BY 2
2000 L	34-53 N	BY 1
λ	130-36 W	BY 1

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 0800 (ZT) 2 Feb (Date)
TO 2000 (ZT) 2 Feb (Date)
SET 020
DRIFT .05/Kt

POSITION BETWEEN FIXES

MID. L 34°00 N
MID. λ 132°20 W

MILES STEAMED 0000-2400: 296.8

FUEL CONSUMED 0000-2400: 2456

REMARKS

00-04 Steaming Independently enroute from Pearl Harbor Hawaii to San Francisco California in accordance with ComSerPac Sail Ord message 160031Z of January 1964 on Base Course 063 Base Spepd 12.3 kts Modified Material Condition Yoke, Readiness Condition IV, Engineering Condition III and Damage Control Condition III Set.

Wm Turner Ens USN

04-08 Underway As Before. ~~0745 Mustered crew on stations: absentees: none~~ DN

FAC

L E Foster
LT(JG) USN

APPROVED: C.C. Reed Lt U.S.N. COMMANDING

EXAMINED: R D Mason, Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAK (ATF 96) SUNDAY (Day) 2 (Date) FEBUARY (Month) 19 64

08-12 UNDER WAY AS BEFORE. 0800 MUSTER ON STATIONS: ~~No~~ ABSENTEE'S NONE. 0902 MADE DAILY INSPECTION OF MAGAZINE; CONDITION: NORMAL

F/A DeJarnette BMCA USN

12-16 Underway as before;

Jd Hollis. CWO2, USN

16-18 Underway as before

Wm Turner Enus USN

18-20 Underway As Before

LE Horton
LTJG USN

20-24 UNDER WAY AS BEFORE. 2000 ~~C~~ C/S 11.8 KTS.

F/A DeJarnette BMCA USN

APPROVED: C.C. Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Stjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +8 V DATE MONDAY (Day) 3 (Date) FEBRUARY (Month), 1964

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO SAN FRANCISCO, CALIFORNIA

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	012	14	10	CLR	3024	58	58				62	035	5
02	015	16	10	CLR	3024	58	55				62	030	5
03	024	21	10	CLR	3023	58	55				62	035	5
04	020	21	10	CLR	3021	58	54				62	010	6
05	020	22	10	CLR	3019	57	54				60	020	6
06	015	23	10	Sct	3016	56	55	1	2000	Sc	60	020	6
07	007	21	10	Sct	3014	58	53	1	2000	Sc	60	020	6
08	023	19	10	CLR	3016	58	58				61	020	6
09	040	15	10	Sct	3018	58	55	2	1000	Cu	60	020	6
10	040	17	7	Sct	3017	54	55	2	1000	Cu	60	020	6
11	040	14	7	Sct	3016	59	55	2	1000	Cu	60	020	6
12	040	14	7	SCT	3016	60	56	2	1000	Cu	60	020	6
13	020	14	10	CLR	3015	60	56				60	020	4
14	020	16	10	CLR	3013	60	56				60	030	3
15	067	16	10	CLR	3015	60	56				60	030	2
16	078	13	10	CLR	3017	60	55				60	030	2
17	075	13	9	CLR	3019	59	55				59	020	2
18	070	12	9	CLR	3020	58	55				59	030	2
19	055	12	9	CLR	3021	58	54				58	030	2
20	050	4	9	CLR	3023	58	54				58	030	2
21	030	6	9	CLR	3025	56	54				58	020	2
22	030	5	5	CLR	3027	55	53				58	020	2
23	025	6	9	CLR	3025	55	53				58	020	2
24	020	6	6	CLR	3025	55	53				58	020	2

POSITION	ZONE	TIME
0800 L	31 24N	BY 2
λ	138 29W	BY 2
1200 L	36 09W	BY 2
λ	127 15W	BY 2
2000 L	36 50.3	BY 2
λ	125 22.40	BY 2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	0800 (ZT) 3 Feb (Date)
TO	2000 (ZT) 3 Feb (Date)
SET	063
DRIFT	.05 KT

POSITION BETWEEN FIXES	
MID. L	30° 15 N
MID. λ	124° 50 W

MILES STEAMED 0000-2400
272.5

FUEL CONSUMED 0000-2400
1857

REMARKS

00-04 STEAMING INDEPENDANTLY ENROUTE FROM PEARL HARBOR, HAWAII TO SAN FRANCISCO, CALIFORNIA IN ACCORDANCE WITH COMSERVPAC SAIL ORDER. MSG. 160031Z OF JANUARY 1964. BASE COURSE 063°, SPEED 11.8 Kts. MATERIAL CONDITION YOKE (Modified) Set. MATERIAL CONDITION V Engineering Condition III and Damage Control Condition III Set. 0200 advanced Ships Clocks one (1) hour to Conform to (+) plus Eight (8) Uniform time zone.

J. L. Hollis. CWO 2 USN

04-08 Underway as before. 0745 Tested ships whistle, steering, chemical and general emergency alarm. Mustered crew at quarters, absentees none.

Lee Turner EM3

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Jr. Lt. U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 3 (Date) February (Month) 19 64

ϕ8-12 Underway as before. ϕ8ϕ Made daily inspection of Magazines: Conditions Normal. ϕ842 C/S To 12 Kts 1ϕϕϕ C/C To 067°.

L E Horton
LTJG USN

12-16 UNDERWAY AS BEFORE. 1201 C/S 12.5 KTS.

F H Osborne BMCH USN

16-18 Underway as before.

J L Hollis, CWO2 USN

18-20 Underway as before

R M Dunn EM1 USN

2ϕ-24 Underway As Before 2ϕ26 C/S To 11 Kts. 21ϕϕ C/C To ϕ7ϕ°

L E Horton
LTJG USN.

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Ltjg U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF96 ZONE DESCRIPTION 7 84 DATE TUESDAY (Day) 4 (Date) FEBUARY (Month), 19 64

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO SAN FRANCISCO, CALIFORNIA

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	335	9	10	CLR	3026	55	55	—	—	—	58	010	2
02	335	9	6	CLR	3026	54	54	—	—	—	58	010	2
03	330	9	6	CLR	3028	54	54	—	—	—	58	010	2
04	036	9	5	CLR	3029	55	54	—	—	—	58	010	2
05	063	7	5	CLR	3029	55	54	—	—	—	58	010	2
06	063	7	5	CLR	3029	55	54	—	—	—	58	010	2
07	063	7	5	CLR	3029	55	53	—	—	—	58	010	2
08	064	8	5	CLR	3029	55	53	—	—	—	58	010	2
09	060	8	5	CLR	3030	54	53	—	—	—	58	010	2
10	060	8	6	CLR	3030	53	53	—	—	—	58	010	2
11	060	8	4	CLR	3030	53	52	—	—	—			
12	060	8	4	CLR	3030	53	52	—	—	—			
13	070	8	6	CLR	3028	52	51	—	—	—			
14	040	4	6	CLR	3028	50	51	—	—	—			
15	0	0	6	CLR	3026	50	50	—	—	—			
16	0	0	6	CLR	3025	50	50	—	—	—			
17	0	0	6	CLR	3025	49	49	—	—	—			
18	0	0	6	CLR	3024	49	49	—	—	—			
19	030	2	6	CLR	3024	44	49	—	—	—			
20	060	8	6	CLR	3024	48	49	—	—	—			
21	070	10	6	CLR	3023	48	49	—	—	—			
22	100	12	6	CLR	3023	48	49	—	—	—			
23	110	12	6	CLR	3023	49	49	—	—	—			
24	110	14	4	CLR	3022	48	49	—	—	—			

POSITION	ZONE	TIME
0800 L	37°37N	BY 3
λ	122°55W	BY 3
1200 L	37°48.0N	BY 3
λ	122°30	BY 3
2000 L	IN PORT	BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA		
FROM	0800 (ZT)	11 Feb (Date)
TO	1200 (ZT)	11 Feb (Date)
SET	020	
DRIFT	05/CT	

POSITION BETWEEN FIXES

MID. L 37°43N

MID. λ 122°42W

MILES STEAMED 0000-2400: 111.5

FUEL CONSUMED 0000-2400: 5738

REMARKS

00-04 STEAMING INDEPENDENTLY ENROUTE FROM PEARL HARBOR, HAWAII TO SAN FRANCISCO, CALIFORNIA. IN ACCORDANCE WITH COM SERV PAC SAIL ORDER MESSAGE 160013Z OF JANUARY 1964 BASE COURSE 070° BASE SPEED 11 KTS. MATERIAL CONDITION YOKE (MODIFIED) READINESS CONDITION V ENGINEERING CONDITION III DAMAGE CONTROL CONDITION III ARESET

FWO Thorne BMCA USN

0408 Underway as before. 0510 sighted Farallon Light. Brg. 054° Distance approx. 26 miles. 0535 C/S 11.5 Kts. 0618 Radar Contact with Farallon Islands. Brg. 040° Distance 15.5 miles. 0633 C/S 8.8 Kts. 0741 C/C 054°, 0745 mustered the crew on stations. Absentees: none. Tested Ship's Whistle, Siren, Chemical, General, and Steering Emergency Alarm, Test Satisfactory.

Jal Hollis. OWO2, USN

APPROVED: C C Reed Lt U. S. N. COMMANDING

EXAMINED: R D Mason, Lt(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Tuesday (Day) 4 (Date) February (Month), 19 64

08-12 Underway as before: 0909 C/c to 047 0920 made daily inspection of magazines condition normal. 0921 C/c to 067 0925 C/c 065; 0937 C/c to 070; 0945 passed buoy 2 abeam to starboard. 0950 passed buoy 4 to starboard. 0955 passed buoy 6 to starboard 1003 C/c to 073 1012 C/c to 064; 1035 C/s to 10 kts entered inland waters. 1040 C/s to 8.3 kts 1055 C/c to 094 Passed under Golden Gate bridge. 1108 C/s to 6.7 kts. 1110 C/c to 096 C/c to 100 1111 C/c to 094 passed buoy 8 abeam to starboard. 1113 C/c 092 1116 C/c to 088; 1123 C/c 126 1125 C/c to 130; 1126 C/c to 126, C/c to 127 1135 Set special sea and anchor detail. Captain and Navigator on the bridge. Captain has the Conn. Draft 14' fwd 16 aft. 1136 C/c to 080 1137 C/c to 081 1139 C/s to 6.7 Kts 1140 C/c 079 1143 C/c to 080, 1144 C/c to 084, 1146 C/c to 078, C/c to 070; 1147 C/s to 5.5 Kts C/c to 067 1148 C/s to 6.7 Kts 1149 C/c to 070 1150 maneuvering various courses and speeds to come alongside pier. 1157 moored starboard side to berth Alfa Naval Supply center Oakland California. Ships present include various units of US Pacific Fleet, and distinct and typed small craft. SOPA is COMFLTAIRWING Alameda.

Wm Turner Ens USN

12-16 Moored as before 1204 Secured special sea and anchor detail.

Wm Turner Ens USN

16-20 Moored as before 1800 Set material condition Yoke Modified

Wm Turner Ens USN

20-24 Moored as before.

Wm Turner Ens USN

APPROVED: C C Bud Lt U. S. N. COMMANDING

EXAMINED: R R Mason, Stjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +8 DATE Wednesday 5 February, 19 67
(Day) (Date) (Month)

AT/PASSAGE FROM MSC OAKLAND CALIFORNIA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	100	10	2	F	3022	49	45	10	500	St			
02	100	10	2	F	3021	49	45	10	500	St			
03	060	4	2	F	3020	48	45	10	500	St			
04	060	4	2	F	3019	48	45	10	500	St			
05	0	0	4	F	3019	47	45	10	500	St			
06	0	0	1	F	3019	46	45	10	500	St			
07	0	0	1	F	3017	49	45	10	500	St			
08	0	0	1	F	3017	49	45	10	500	St			
09	0	0	1	F	3016	49	45	10	500	St			
10	0	0	1	F	3017	49	45	10	500	St			
11	0	0	1	F	3017	50	45	10	500	St			
12	0	0	2	F	3018	50	45	10	500	St			
13	0	0	2	H	3019	50	45	10	500	St			
14	0	0	2	H	3020	50	45	10	500	St			
15	0	0	2	Sct	3021	50	45	4	1500	Cu			
16	0	0	5	Sct	3022	51	45	4	1500	Cu			
17	065	2	5	CHK	3022	50	45	—	—	—			
18	067	4	5	CHK	3022	50	45	—	—	—			
19	070	5	5	CLR	3021	50	47	—	—	—			
20	090	7	5	CHK	3022	50	47	—	—	—			
21	090	8	5	CHK	3021	50	45	—	—	—			
22	090	9	5	CHK	3023	50	45	—	—	—			
23	100	10	5	CLR	3023	49	45	—	—	—			
24	110	12	5	CLR	3024	49	45	—	—	—			

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 150

REMARKS

00-04 moored starboard side to berth alfa, U.S. Naval Supply Center Oakland using standard ~~taylors~~ Pa-mooring lines doubled. Receiving fresh water and telephone service from pier. Material condition Yoke modified is set. Ships present include various units of the US Pacific Fleet and yard and district small craft SOPA is ComFltAirWing Alameda.

Lou Turner EM3

04-08 moored as before 0745 mustered crew at quarters absentees: none.

Lou Turner EM3

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Rosen, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) WEDNESDAY (Day) 5 FEBRUARY (Date) (Month), 19 64

0800-1200 MOORED AS BEFORE. 1002 MADE DAILY INSPECTION OF MAGAZINES ~~AND SMOKELESS POWDER SAMPLES~~. CONDITIONS NORMAL.

C. P. McKenzie, Ens, USNR

1200-1600 MOORED AS BEFORE.

C. P. McKenzie, Ens, USNR

1600-2000 MOORED AS BEFORE. 1800 MUSTERED THE INPORT DUTY FIRE PARTY. ABSENTEES: NONE. 1810 SET CONDITION YOKE MODIFIED.

C. P. McKenzie, Ens, USNR

2000-2400 MOORED AS BEFORE.

C. P. McKenzie, Ens, USNR

APPROVED: C C Seed Lt. U. S. N. COMMANDING

EXAMINED: D S Swan, Flyg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +8U DATE THURSDAY (Day) 6 (Date) FEBRUARY (Month), 19 64

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	090	2	5	SCT	30.21	49	45	1	2000	CU			
02	090	2	6	SCT	30.21	49	45	1	2000	CU			
03	090	2	6	SCT	30.22	49	45	1	2000	CU			
04	090	2	6	SCT	30.23	46	43	2	2000	CU			
05	090	2	5	SCT	30.23	46	43	3	2000	CU			
06	090	2	3	BKN	30.26	47	43	6	2000	CU			
07	070	2	2	BKN	30.25	47	43	7	2000	CU			
08	070	2	2	BKN	30.07	48	44	6	2000	CU			
09	070	2	6	SCT	30.07	49	44	5	2000	CU			
10	070	2	6	SCT	30.10	51	45	5	2000	CU			
11	070	2	6	SCT	30.10	51	45	4	2000	CU			
12	050	2	8	SCT	30.11	50	45	4	2000	CU			
13	060	2	8	SCT	30.11	50	45	4	2000	CU			
14	060	2	10	SCT	30.12	51	45	4	2000	CU			
15	060	2	10	SCT	30.12	50	45	4	2000	CU			
16	060	2	10	SCT	30.12	50	45	3	2000	CU			
17	060	2	10	SCT	30.12	49	45	3	2000	CU			
18	060	2	10	SCT	30.13	49	44	3	2000	CU			
19	060	2	10	SCT	30.11	47	43	3	2000	CU			
20	060	2	10	SCT	30.10	46	42	2	2000	CU			
21	060	2	10	SCT	30.09	45	41	2	2000	CU			
22	060	2	10	SCT	30.07	45	41	2	2000	CU			
23	060	2	10	SCT	30.07	44	41	2	2000	CU			
24	060	2	10	SCT	30.05	45	41	2	2000	CU			

POSITION	ZONE	TIME
0800		
L IN port		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 83

REMARKS

00-04 MOORED STARBOARD SIDE TO IN BERTH ALFA NSC OAKLAND, CALIFORNIA WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. MATERIAL CONDITION YOKE MODIFIED IS SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, DISTRICT AND YARD CRAFT. SOPA IS COMFAIRWING ALAMEDA.

C. P. McKenzie, Ens, USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt U. S. N. COMMANDING

EXAMINED: D D Mason, Lt(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 THURSDAY (Day) 6 (Date) FEBRUARY (Month), 19 64

0800-1200 MOORED AS BEFORE. 0900 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS NORMAL. 0907 COMMANDING OFFICER DEPARTED TO MAKE OFFICIAL CALL ON COMNAV STA. SAN FRANCISCO.

J E Hooton
LTJG USN

1200-1600 MOORED AS BEFORE 1520 COMMANDING OFFICER RETURNED FROM MAKING OFFICIAL CALL ON COM NAV STA SAN FRANCISCO. 1520 BY ORDER OF COMMANDING OFFICER WHIFFEN, H.L. SA 597-34-91 USN WAS RELEASED FROM CONFINEMENT IN THE US NAVAL BRIG, TREASURE ISLAND, CALIFORNIA, AND RETURNED ON BOARD, FOLLOWING COMPLETION OF THE PERIOD OF CONFINEMENT ADJUDGED BY SENTENCE OF COMMANDING OFFICERS MAST.

J E Hooton
LTJG USN

1600-2000 MOORED AS BEFORE 1800 SET MODIFIED MATERIAL CONDITION YOKE.

J E Hooton
LTJG USN

2000-2400 MOORED AS BEFORE

J E Hooton
LTJG USN.

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D D Mason, Stg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +8 DATE FRIDAY (Day) 7 FEBRUARY (Date) (Month), 1964

AT/~~PASSAGE FROM~~ OAKLAND, CALIFORNIA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	060	2	8	SCT	3006	44	41	2	2000	CU			
02	060	3	8	SCT	3008	44	40	2	2000	CU			
03	060	3	8	SCT	3008	44	40	2	2000	CU			
04	060	3	8	SCT	3009	44	40	3	2000	CU			
05	060	3	8	SCT	3012	45	40	3	2000	CU			
06	060	3	5	SCT	3012	45	40	3	2000	CU			
07	060	3	5	SCT	3012	47	41	4	2000	CU			
08	060	4	5	SCT	3015	47	41	4	2000	CU			
09	060	4	5	SCT	3018	48	41	4	2000	CU			
10	060	4	5	SCT	3019	48	41	3	2000	CU			
11	060	4	5	SCT	3022	50	42	3	2000	CU			
12	060	3	5	SCT	3022	50	42	2	2000	CU			
13	060	2	5	SCT	3022	51	43	2	2000	CU			
14	060	2	5	SCT	3023	53	43	2	2000	CU			
15	060	2	5	SCT	3023	51	43	1	2000	CU			
16	060	2	8	SCT	3023	51	43	1	2000	CU			
17	060	2	8	SCT	3025	50	43	1	2000	CU			
18	060	2	8	SCT	3025	50	43	1	2000	CU			
19	060	2	8	SCT	3022	49	43	1	2000	CU			
20	060	2	10	SCT	3020	49	43	2	2000	CU			
21	060	2	10	SCT	3020	49	43	2	2000	CU			
22	060	2	10	SCT	3018	48	43	2	2000	CU			
23	060	2	10	SCT	3018	45	42	2	2000	CU			
24	060	2	10	SCT	3015	45	41	2	2000	CU			

POSITION	ZONE	TIME
0800		
L IN PORT	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 123

REMARKS

00-04 MOORED STARBOARD SIDE TO IN BERTH ALPHA, US NAVAL SUPPLY CENTER, OAKLAND CALIFORNIA, WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, MERCHANT VESSELS, YARD, AND DISTRICT CRAFT. SOPA IS COMFAIR AIR WING, ALAMEDA

H E Foster
LTJG USN

04-08 MOORED AS BEFORE 0745 MUSTERED CREW AT QUARTERS. ABSENTEES NONE

H E Foster
LTJG USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Rosen, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 7 (Date) FEBRUARY (Month), 1964

08-12 Moored as before. 0952 Made daily inspection of magazine. conditions conditions normal. Conducted weekly test of magazine sprinkler system. Test satisfactory.
R D Mason, Stjg, USNR

12-16 Moored as before.
R D Mason, Stjg, USNR

16-20 - Moored as before. 1800 set material condition Yoke (Modified). 1815 U.S. Navy Tug YTM-757 Received alongside to port.
R D Mason Stjg, USNR

20-24. Moored as before.
R D Mason, Stjg, USNR

APPROVED:
C C Reed Lt. U. S. N. COMMANDING

EXAMINED:
R D Mason, Stjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION _____ DATE SATURDAY (Day) 8 (Date) FEBRUARY (Month), 1964

AT/~~PASSAGE FROM~~ OAKLAND, CALIFORNIA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	060	2	10	CLR	3018	45	41	—	—	—			
02	060	2	10	CLR	3020	45	41	—	—	—			
03	060	2	10	CLR	3022	45	41	—	—	—			
04	060	2	10	CLR	3022	45	41	—	—	—			
05	060	2	10	CLR	3020	45	41	—	—	—			
06	060	2	10	CLR	3023	46	41	—	—	—			
07	060	2	10	CLR	3024	48	42	—	—	—			
08	060	2	10	CLR	3026	49	42	—	—	—			
09	060	2	10	CLR	3026	50	43	—	—	—			
10	060	2	10	CLR	3026	51	44	—	—	—			
11	060	2	10	CLR	3027	53	45	—	—	—			
12	060	2	10	CLR	3025	55	47	—	—	—			
13	060	2	10	CLR	3023	55	48	—	—	—			
14	060	2	10	CLR	3021	57	50	—	—	—			
15	—	—	10	CLR	3022	59	52	—	—	—			
16	—	—	10	CLR	3022	59	52	—	—	—			
17	—	—	10	CLR	3024	57	51	—	—	—			
18	—	—	10	CLR	3026	55	50	—	—	—			
19	—	—	10	CLR	3020	54	48	—	—	—			
20	—	—	10	CLR	3020	54	48	—	—	—			
21	090	3	10	CLR	3020	53	48	—	—	—			
22	090	3	10	CLR	3023	50	47	—	—	—			
23	090	4	10	CLR	3025	50	47	—	—	—			
24	090	6	6	CLR	3026	49	46	—	—	—			

POSITION	ZONE	TIME
0800		
L IN POAT		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

0

FUEL CONSUMED 0000-2400

90

REMARKS

00-04 MOORED STARBOARD side to BERTH ALFA, U.S. NAVAL Supply CENTER, OAKLAND, CALIFORNIA with STANDARD MOORING LINES doubled. Receiving Freshwater AND Telephone SERVICES FROM The pier. MATERIAL CONDITION YOKE (Modified) is SET. U.S. NAVY Tug YTM-757 is MOORED OUTBOARD to PORT. Ships PRESENT include VARIOUS UNITS of The U.S. PACIFIC FLEET YARD AND DISTRICT CRAFT. SOPA IS COMFLTAIRWING ALAMEDA.

R D Mason, Stgj, USNR

04-08 ~~MUSTERED~~ MOORED AS before. 0745 MUSTERED The CREW ON STATIONS

ABSENTEES: NONE.

R D Mason, Stgj

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Mason, Stgj U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 8 (Date) FEBRUARY (Month) 19 64

08-12 moored as before. 1055 made daily inspection of magazine. Conditions: normal.

J. L. Hallis, CWO2-USN

12-16 moored as before.

J. L. Hallis, CWO 2, USN

16-20 moored as before. 1800 set material condition yoke (modified).

J. L. Hallis, CWO 2 USN

20-24 moored as before.

J. L. Hallis, CWO2-USN

APPROVED: C. C. Reed Lt. U. S. N. COMMANDING

EXAMINED: R. D. Rosen, Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +8 DATE SUNDAY (Day) 9 (Date) FEBRUARY (Month), 1964

AT/~~PASSAGE FROM~~ OAKLAND, CALIFORNIA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	090	6	6	CLR	3026	49	46	—	—	—			
02	090	8	6	CLR	3026	49	46	—	—	—			
03	090	10	6	CLR	3025	50	46	—	—	—			
04	090	12	6	CLR	3024	50	46	—	—	—			
05	090	10	8	CLR	3023	51	46	—	—	—			
06	090	10	8	CLR	3024	51	46	—	—	—			
07	090	10	8	CLR	3023	51	46	—	—	—			
08	060	7	6	CLR	3021	52	44	—	—	—			
09	060	3	6	CLR	3018	57	56	—	—	—			
10	060	3	6	CLR	3018	57	56	—	—	—			
11	060	3	6	CLR	3018	57	56	—	—	—			
12	060	2	6	CLR	3018	56	54	—	—	—			
13	060	2	6	CLR	3017	55	53	—	—	—			
14	060	2	6	CLR	3017	55	52	—	—	—			
15	060	2	6	CLR	3015	55	52	—	—	—			
16	060	2	6	CLR	3015	53	51	—	—	—			
17	060	2	6	CLR	3015	53	50	—	—	—			
18	060	2	6	CLR	3012	53	50	—	—	—			
19	060	2	6	CLR	3012	52	49	—	—	—			
20	060	2	6	CLR	3012	51	49	—	—	—			
21	060	2	6	CLR	3013	51	49	—	—	—			
22	060	2	6	CLR	3012	50	48	—	—	—			
23	060	2	6	CLR	3012	50	48	—	—	—			
24	050	2	6	CLR	3011	49	48	—	—	—			

POSITION	ZONE	TIME
0800		
L LW pont		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
210

REMARKS

00-04 moored starboard side to berth 41a (A) U.S. Naval Supply Center, Oakland, California, with standard mooring lines doubled. STM757 moored outboard to port receiving potable water and telephone service from the pier. Condition Yoke (modified) set. Ships present include various units of the U.S. Pacific Fleet, district and small craft and various merchant vessels. SOPA is COMFLT AIR WING, ALAMEDA

J.D. Hallis, CWO2-USN

04-08 moored as before. 0745 mustered the crew on stations absentees: none.

J.D. Hallis CWO 2 USN

APPROVED: C.C. Reed Lt. U. S. N. COMMANDING

EXAMINED: D.D. Mason, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Sunday (Day) 9 (Date) February (Month), 19 64

08-12 Moored as before; 1000 Mode Daily inspection of ~~powder~~ magazine condition normal. RSW

Lt Jones Eng USN

12-16 Moored as before

Lt Jones Eng USN

16-20 Moored as before 1800 Set material condition Yoke modified

Lt Jones Eng USN

20-24 Moored as before.

Lt Jones Eng USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D D Mason, Stjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +8H DATE Monday (Day) 10 (Date) February (Month), 19 64

AT/PASSAGE FROM NSC Oakland California TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	050	2	6	CLR	3012	49	48	—	—	—			
02	050	2	6	CLR	3014	49	48	—	—	—			
03	050	2	6	CLR	3012	50	50	—	—	—			
04	050	2	6	F	3011	51	52	—	—	—			
05	050	2	6	F	3011	52	52	—	—	—			
06	050	2	6	F	3011	52	52	—	—	—			
07	050	2	6	F	3011	52	52	—	—	—			
08	050	2	6	F	3011	49	50	—	—	—			
09	050	2	6	F	3011	52	51	—	—	—			
10	050	2	6	F	3011	52	51	—	—	—			
11	050	2	6	F	3011	52	51	—	—	—			
12	060	2	8	CLR	3012	53	51	—	—	—			
13	060	2	8	CLR	3015	54	51	—	—	—			
14	060	2	8	CLR	3018	55	51	—	—	—			
15	060	2	8	CLR	3018	56	52	—	—	—			
16	060	2	10	CLR	3022	55	52	—	—	—			
17	060	2	10	CLR	3025	55	51	—	—	—			
18	060	2	10	CLR	3024	55	51	—	—	—			
19	060	2	10	CLR	3023	54	50	—	—	—			
20	060	2	10	CLR	3022	54	50	—	—	—			
21	060	2	10	CLR	3022	53	49	—	—	—			
22	060	2	10	CLR	3022	53	49	—	—	—			
23	060	2	10	CLR	3022	53	49	—	—	—			
24	060	2	10	CLR	3020	53	49	—	—	—			

POSITION	ZONE	TIME
0800		
L IN port		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 310

REMARKS

00-04 moored starboard side to berth alfa U.S. Naval Supply Centr; Oakland Calfornia using standard nylon mooring lines doubled hgecewing fresh water and telephone service from the pier. Material condition modified Yoke is set. Ships present include various types of the US Pacific Fleet and yard and district small craft. SOPA is COMFAIRALAMEDA. YTM 757 is tied to port.

Jon Jensen EnsUSN

04-08 moored as before. 0745 muster all men at quarters absentees none.

Jon Jensen EnsUSN

APPROVED: C. C. Reed Lt. U. S. N. COMMANDING

EXAMINED: R. S. Mason, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ~~EBNARI~~ (ATF 96) MONDAY (Day) 10 (Date) FEBRUARY (Month), 19 64

00-12 MOORED AS BEFORE. 0855 MADE DAILY INSPECTION OF MAGAZINES ~~AND SMOKELESS POWDER SAMPLES~~. CONDITIONS: NORMAL.

C. P. McKenzie, Ens, USNR

12-16 MOORED AS BEFORE.

C. P. McKenzie, Ens, USNR.

16-20 MOORED AS BEFORE. 1800 MUSTERED THE DUTY IN PORT FIRE PARTY. ABSENTEES: NONE. SET MODIFIED CONDITION YOKE.

C. P. McKenzie, Ens, USNR.

20-24 MOORED AS BEFORE.

C. P. McKenzie, Ens USNR.

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D J Mason, Sgt U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (CATF 96) ZONE DESCRIPTION +8 DATE TUESDAY (Day) 11 (Date) FEBRUARY (Month), 19 67

AT/PASSAGE FROM NSC Oakland, California TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	050	2	10	CLR	3020	48	46	—	—	—			
02	050	2	10	CLR	3020	48	46	—	—	—			
03	050	2	10	CLR	3020	48	46	—	—	—			
04	050	2	10	CLR	3018	48	46	—	—	—			
05	050	2	10	CLR	3018	50	48	—	—	—			
06	050	4	10	CLR	3018	52	49	—	—	—			
07	050	5	10	CLR	3018	53	50	—	—	—			
08	010	11	10	CLR	3019	55	51	—	—	—			
09	010	11	10	CLR	3017	55	52	—	—	—			
10	030	13	10	CLR	3016	55	52	—	—	—			
11	000	15	10	CLR	3013	55	52	—	—	—			
12	315	21	10	CLR	3010	55	52	—	—	—	67	290	10
13	330	23	10	CLR	3009	55	50	—	—	—	67	290	10
14	330	23	10	CLR	3006	55	50	—	—	—	67	290	8
15	330	25	10	CLR	3005	55	50	—	—	—	67	290	8
16	330	25	10	CLR	3010	55	50	—	—	—	67	290	8
17	330	25	10	CLR	3010	55	50	—	—	—	67	330	10
18	330	26	10	CLR	3011	54	50	—	—	—	67	330	10
19	330	26	10	CLR	3012	54	49	—	—	—	67	320	10
20	342	22	10	CLR	3015	53	49	—	—	—	55	320	10
21	320	19	10	CLR	3017	53	49	—	—	—	55	320	10
22	330	18	10	CLR	3018	53	49	—	—	—	55	320	10
23	320	18	10	CLR	3018	53	49	—	—	—	55	320	10
24	320	17.5	10	CLR	3019	53	49	—	—	—	55	320	10

POSITION	ZONE	TIME
0800 L	IN port	BY
λ		BY
1200 L	37 48.5N	BY 3
λ	122°55W	BY 3
2000 L	37 29.8N	BY 2
λ	123 33W	BY 2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 0800 (ZT) 11 Feb (Date)
TO 2000 (ZT) 11 Feb (Date)
SET 118
DRIFT 1.1 kt

POSITION BETWEEN FIXES

MID. L 37° 33 N
MID. λ 123° 10 W

MILES STEAMED 0000-2400
90

FUEL CONSUMED 0000-2400
1550

REMARKS

00-04 MOORED STARBOARD SIDE TO IN BERTH ALFA, NSC OAKLAND, CALIFORNIA, YTM 757 MOORED ALONGSIDE TO PORT, WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM ON THE PIER. CONDITION YOKE MODIFIED IS SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, DISTRICT, AND YARD CRAFT. SOPA IS COMFLTAIRWING ALAMEDA.

C. P. McKeige, Ens, USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

C. P. McKeige, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Jr Lt(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Tuesday (Day) 11 (Date) February (Month) 19 64

0800-1200 MOORED AS BEFORE. 0800 COMMENCED MAKING PREPARATIONS FOR GETTING UNDERWAY. 0940 SET THE SPECIAL SEA ~~&~~ AND ANCHOR DETAIL. 0953 COMPLETED ALL PREPARATIONS FOR GETTING UNDERWAY. DRAFT: FORWARD 14'5", AFT 16'5" 0959 UNDERWAY FOR ~~HO~~ PEARL HARBOR HAWAII WITH YTM 757 ALONGSIDE IN TOW IN COMPLIANCE WITH COMSERVPAC SAIL ORDER 160017 OF JAN 1964. MANEUVERING TO CLEAR THE BERTH. CAPTAIN AT THE CONN, NAVIGATOR ON THE BRIDGE. 1019 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE STANDING OUT OF SAN FRANCISCO BAY 1020 PASSED BOUY #3 ABEAM TO STBD 1023 PASSED BOUY #1A ABEAM TO STBD. 1056 COMMENCE STREAMING YTM 757 ASTERN 1130 SECURED THE SEA DETAIL. ~~1204 ENTERED INTERNATIONAL WATERS 1209 OOD HAS THE CONN 1239 CAPTAIN HAS THE CONN 1244 PASSED BOUY # 8 ABEAM TO PORT 1256 OOD HAS THE CONN. 1256 PASSED BOUY # 6 ABEAM TO PORT 13~~

C.P. McKenzie, Ens, USNR

1200-1600 UNDERWAY AS BEFORE. 1204 ENTERED INTERNATIONAL WATERS. 1209 OOD HAS THE CONN 1239 CAPTAIN HAS THE CONN 1244 PASSED BOUY #8 ABEAM TO PORT 1256 OOD HAS THE CONN. PASSED BOUY #6 ABEAM TO PORT. 1311 PASSED BOUY #2 ABEAM TO PORT 1343 ~~PASSED~~ S.F. LIGHTSHIP ABEAM TO STBD., 2 MILES. 1545 STEADY ON COURSE 250°, SPEED 10.8 KTS. YTM 757 VEERED TO 1200 FEET. 1210 MADE DAILY INSPECTION OF MAGAZINES ~~AND SMOKELESS POWDER SAMPLES~~. CONDITIONS: NORMAL.

C.P. McKenzie, Ens, USNR

1600-1800 UNDERWAY AS BEFORE.

C.P. McKenzie, Ens, USNR

1800-2000 Underway as before

Lou Turner Ens USNR

2000-2400 Underway As Before

F.E. Sorton
LT (jg) USN

APPROVED: C.C. Reed Lt. U. S. N. COMMANDING

EXAMINED: D.D. Mason, Stf. U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abnaki CATF-96 ZONE DESCRIPTION +8W DATE Wednesday (Day) 12 (Date) February (Month), 19 64

~~AT~~/PASSAGE FROM San Francisco, California TO Pearl Harbor, Hawaii

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	315	16	10	CLR	3019	53	49	—	—	—	55	320	10
02	315	18	10	CLR	3019	53	49	—	—	—	55	320	11
03	340	19	10	CLR	3017	53	49	—	—	—	55	330	11
04	352	22	10	CLR	3023	53	49	—	—	—	55	330	10
05	352	22	10	CLR	3023	53	49	—	—	—	55	330	10
06	005	22	10	BKN	3027	53	49	9	1000	CU	55	330	10
07	010	22	10	BKN	3027	53	49	9	1000	CU	55	330	9
08	005	23	10	BKN	3028	53	49	9	1000	CU	55	330	9
09	350	23	10	BKN	3029	54	49	8	1000	CU	55	330	9
10	350	24	10	BKN	3030	54	50	8	1000	CU	55	330	9
11	350	20	10	BKN	3031	56	50	8	1000	CU	55	330	8
12	355	16	10	SCT	3037	55	51	2	1000	CU	57	330	8
13	355	16	10	SCT	3037	55	51	2	1000	CU	57	330	8
14	350	16	10	SCT	3036	55	51	1	1000	CU	57	330	8
15	353	17.5	10	BKN	3036	55	51	6	1700	CU	57	330	8
16	330	12	10	BKN	3037	55	51	6	1700	CU	57	330	6
17	330	12	10	BKN	3037	55	51	6	1700	CU	57	330	6
18	354	20	10	BKN	3039	55	51	6	1700	CU	57	330	6
19	359	20	10	BKN	3039	55	51	9	1500	CU	57	330	5
20	350	19	10	BKN	3039	55	51	9	1500	CU	57	330	5
21	350	19	9	BKN	3040	55	51	9	1500	CU	57	330	5
22	340	18	9	BKN	3041	55	51	9	1500	CU	57	320	5
23	340	18	9	SCT	3041	55	51	5	1500	CU	57	300	5
24	030	18	9	SCT	3045	55	51	5	1600	CU	57	100	5

POSITION	ZONE	TIME
0800 L 36 44.7N	BY	2
λ 125 30.1W	BY	2
1200 L 36 25.5N	BY	2
λ 126 08W	BY	2
2000 L 35 43.6	BY	2
λ 127 31.7W	BY	2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	0800 (ZT) 12 Feb 64 (Date)
TO	2000 (ZT) 12 Feb 64 (Date)
SET	344
DRIFT	.4 KTS

POSITION BETWEEN FIXES	
MID. L	36 25 N
MID. λ	126 00W

MILES STEAMED 0000-2400
217.8

FUEL CONSUMED 0000-2400
1037

REMARKS

00-04 INDEPENDENTY ENROUTE FROM SAN FRANCISCO, CALIF TO PEARL HARBOR, HAWAII WITH US NAVY TUG YTM 757 IN TOW IN COMPLIANCE WITH COMSERVPAC SAILORDERS 160312 OF JANUARY 1964. BASE COURSE 250, BASE SPEED 10.5 KTS, MODIFIED MATERIAL CONDITION YOKE, READINESS CONDITION II, ENGINEERING CONDITION III, AND ~~DAME~~ DAMAGE CONTROL CONDITION IV IS SET. TOW IS AT 1200 FEET WITH TOWING ENGINE ON ~~THE~~ AUTOMATIC.

C. P. McKenzie, Ens, USNR

04-08 Underway as before, ORDS mustered the crew on stations: absentees: none. Tested the ships whistle, siren, general, Chemical and steering emergency alarm, Test satisfactory.

J. L. Hollis, CWO2 USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D D Rasen, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Wednesday (Day) 12 (Date) February (Month) 19 64

08-12 Underway as before. ~~0912~~ 0830 C/S to 240
0912 made daily magazine inspection conditions normal
0940 C/S to 11.3 kts.

Lm Turner Ens USNR

12-16 Underway as Before.

H E Foster
LTJG USN

16-18 UNDERWAY AS BEFORE.

C.P. McKenzie, Ens, USNR

18-20 underway as before.

J.D. Hollis, CWO2 USN

20-24 Underway as before: 2000 C/S to 10.1 Kts

Lm Turner Ens USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Nason, Stgy U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +8 DATE THURSDAY (Day) 13 (Date) FEBRUARY (Month), 1964

AT/PASSAGE FROM SAN FRANCISCO, CALIFORNIA TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	030	18	9	BKN	3045	55	51	6	1700	CU	57	100	5
02	030	18	9	SCT	3046	55	50	4	1700	CU	57	100	5
03	040	20	9	BKN	3046	55	50	8	1700	CU	57	100	5
04	035	17	10	BKN	3044	55	50	7	1700	CU	57	100	5
05	010	11	10	SCT	3044	55	50	5	1600	SC	57	060	3
06	020	9	10	BKN	3044	55	50	8	1600	SC	57	060	3
07	015	7	10	BKN	3045	55	50	9	1600	SC	57	060	3
08	035	17	10	BKN	3040	55	50	7	1000	SC	60	010	3
09	040	12	10	BKN	3042	56	51	7	1000	SC	60	010	3
10	030	17	10	BKN	3043	56	51	7	1000	SC	60	010	3
11	030	17	10	BKN	3042	56	51	7	1000	SC	60	010	3
12	020	16	10	BKN	3041	57	52	7	1000	SC	60	010	3
13	020	15	10	BKN	3040	57	52	7	1000	SC	60	010	3
14	020	13	10	BKN	3040	58	52	7	1100	SC	60	010	3
15	025	12	10	BKN	3040	58	52	8	1100	SC	60	010	3
16	036	14	10	BKN	3046	57	51	9	1600	SC	60	010	3
17	053	15	10	BKN	3046	56	50	8	1600	SC	60	030	3
*18	RETARDED ALL CLOCKS TO CONFORM WITH +9N TIME												
19	040	12	10	BKN	3040	56	50	8	1800	SC	60	030	3
20	042	12	10	BKN	3040	57	50	7	1800	SC	60	030	3
21	035	11	10	BKN	3040	58	50	7	1800	SC	62	030	3
22	036	9	10	BKN	3040	58	50	7	1800	SC	62	030	3
23	040	9	10	BKN	3040	58	50	7	1800	SC	62	030	3
24	040	8	10	BKN	3039	58	50	7	1000	SC	62	030	3
*17	043	14	10	BKN	3040	56	50	8	1800	SC	60	030	3

POSITION	ZONE	TIME
0800 L	34° 45.5 N	BY 2
λ	129 19.0	BY 2
1200 L	34° 27 N	BY 2
λ	129 56.8 W	BY 2
2000 L	33 41 N	BY 2
λ	131 26 W	BY 2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 0800 (ZT) 13 Feb (Date)

TO 2000 (ZT) 13 Feb (Date)

SET 155

DRIFT .5 KTS

POSITION BETWEEN FIXES

MID. L 34° 27° N

MID. λ 129° 55° W

MILES STEAMED 0000-2400: 231.9

FUEL CONSUMED 0000-2400: 1572

REMARKS

00-04 UNDERWAY INDEPENDENTLY ENROUTE FROM SANFRANCISCO, CALIFORNIA TO PEARL HARBOR WITH USNAVY TUG YTM 757 IN TOW. IN ACCORDANCE WITH COMSERVPAC SAIL ORD 160031Z OF JAN 1964. BASE COURSE 240° BASE SPEED 10.1 KTS. MODIFIED MATERIAL CONDITION YOKE, READINESS CONDITION II, ENGINEERING CONDITION III, AND DAMAGE CONTROL CONDITION III SET. TOW IS AT 1200 FT WITH TOWING ENGINE ON AUTOMATIC

J E Hunter
LTJG USN

04-08 UNDERWAY AS BEFORE. 0745 MUSTERED THE CREW ON STATIONS ABSENTEES: NONE.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Mason, Lt(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Thursday (Day) 13 (Date) FEBRUARY (Month) 1964

0812 Underway as before; 0801 c/s allstop - c/s 10.1 Kts. 0809 c/c 242°, 0827 c/s 10.8 Kts. 1031 c/s +0168 Kts. 0841 c/s 10.1 Kts. 0845 made daily SEA inspection of magazine, conditions: normal

J.D. Hollis, CWO2 USN

1216. Underway as before.

Ens James Ens USN

1618 Underway As Before

J.E. Horton
ATTC USN

1824 UNDERWAY AS BEFORE. 1800 RETARTED ALL SHIPS CLOCKS ONE HOUR TO CONFORM WITH +9V TIME ZONE.

C.P. McKenzie, Ens, USNR

2430 Underway as before; 2000 c/c 344°, 2035 sighted contact at bearing 230° True, distance approximately 8 miles. 2053 c/s 9.5 Kts 2100 identified contact as merchantman, NORWEGIAN NAUSSEMAS, Enroute from Japan to San Francisco California. 2105 contact passed CPA on bearing 172 at 14,700 yards. 2130 lost sight of contact at bearing 120° true, distance approximately 14 miles.

J.D. Hollis, CWO2, USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: Lt R D Mason, Jr U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +9 V DATE Friday 14 ~~5~~ February, 19 64
(Day) (Date) (Month)

AT/PASSAGE FROM San Francisco Cal TO Pearl Harbor Hawaii

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	020	8	10	BKN	3039	57	50	8	1100	Sc	62	020	2
02	020	7	10	BKN	3038	57	50	8	1100	Sc	62	020	2
03	020	7	10	BKN	3037	57	49	8	1000	Sc	62	010	2
04	350	5	10	Sct	3037	57	51	5	1700	Sc	62	010	2
05	350	7	10	BKN	3038	57	51	9	1700	Sc	62	010	2
06	345	6	10	BKN	3038	57	52	9	1700	Sc	62	010	2
07	335	12	10	BKN	3038	58	53	8	1700	Sc	62	010	2
08	320	10	10	BKN	3036	58	53	9	1200	Sc	62	010	2
09	325	10	10	BKN	3036	58	53	8	1200	Sc	62	020	2
10	330	8	10	ovc	3036	60	54	10	1200	Sc	62	010	2
11	330	12	10	ovc	3034	60	55	10	1200	Sc	63	020	2
12	325	10	10	ovc	3038	61	55	10	1200	Sc	63	020	2
13	285	6	10	ovc	3036	61	55	10	1200	Sc	63	020	2
14	310	11	10	ovc	3033	63	55	10	1200	Sc	64	020	2
15	317	12	10	ovc	3033	63	55	10	1200	Sc	64	280	2
16	320	10	10	BKN	3032	62	55	9	1100	Sc	64	290	2
17	320	9	10	BKN	3031	62	55	9	1100	Sc	64	290	2
18	330	9.5	10	BKN	3031	61	55	9	1100	Sc	64	290	2
19	320	11	10	Sct	3030	61	55	4	1000	Sc	64	300	2
20	320	11	10	Sct	3030	61	55	4	1000	Sc	64	300	2
21	335	9	10	BKN	3028	63	55	8	1000	Sc	64	320	2
22	335	13	10	BKN	3028	63	55	6	1800	Sc	64	325	2
23	315	15	10	BKN	3025	63	55	6	1800	Sc	64	325	2
24	005	17	10	BKN	3033	63	55	6	1800	Sc	64	325	2

POSITION	ZONE	TIME
0800 L 32 51.8	BY	2
λ 133 11W	BY	2
1200 L 32 38N	BY	2
λ 133 45W	BY	2
2000 L 32 09N	BY	2
λ 134 48W	BY	2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 08W (ZT) 14 Feb (Date)
TO 20W (ZT) 14 Feb (Date)
SET 065
DRIFT .7 KTS

POSITION BETWEEN FIXES

MID. L 32 38N
MID. λ 133 45W

MILES STEAMED 0000-2400: 234-3

FUEL CONSUMED 0000-2400: 2041

REMARKS

0004 Underway Independently enroute from San Francisco, California to Pearl Harbor with US Navy Tug YTM-757 in tow. In accordance with Com Sev-Pac Sail Ord msg 160031Z of Jan 1464. Base course 244 Base speed 9.5 kts. Modified material condition Yoke, Readiness Condition II Engineering Condition III and Damage Control Condition III Set. Tow is at 1200 ft with towing engine on automatic.

/s/ James Eastwood

0H-08 Underway As Before. 0745 Mustered crew on Stations Absentees None.

H C Horton
LTJG USN

APPROVED: C C Kidd Lt. U. S. N. COMMANDING

EXAMINED: R D Mason, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI FRIDAY (Day) 14 (Date) FEBRUARY (Month) 19 64

08-12 UNDERWAY AS BEFORE. 0800 c/c TO 245° C/S TO 9.8 KTS. 0930 MADE DAILY INSPECTION OF MAGAZINES ~~AND SMOKELESS POWDER SAMPLES~~. CONDITIONS: NORMAL. MADE WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM. TEST: SATISFACTORY. C. P. McKenzie, Ens, USNR

12-16 underway as before, 1200 c/s 10.8 Kts.

J. D. Hollis. CWO2-USN

16-18 Underway as before.

J. M. Driver Ens USN

18-20 Underway As Before. 1912 C/S To 11.3 Kts. 1977 C/S TO 11.8 Kts. JEW

J. E. Tenta
LTJG USN

20-24 UNDERWAY AS BEFORE.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Flyg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +9V DATE SATURDAY (Day) 15 (Date) FEBRUARY (Month), 1964

AT/PASSAGE FROM SAN FRANCISCO, CALIFORNIA TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	347	17	10	SCT	3033	63	55	6	1800	Sc	64	325	2
02	347	17	10	BKN	3032	62	56	9	1800	Sc	64	325	2
03	358	16	10	BKN	3033	61	56	8	1800	Sc	64	325	2
04	355	16	10	BKN	3033	61	56	8	1500	Sc	64	325	3
05	355	15	10	BKN	3032	61	57	9	1400	Sc	64	330	3
06	000	14	10	BKN	3031	61	57	9	1200	Sc	64	330	3
07	000	15	10	BKN	3031	61	58	9	1200	Sc	64	330	3
08	030	13	10	BKN	3037	58	54	7	2000	Sc	64	030	3
09	035	14.5	10	BKN	3037	60	54	8	2000	Sc	66	030	3
10	033	17	10	BKN	3038	60	54	9	2000	Sc	66	030	3
11	033	13	10	BKN	3037	60	54	9	2000	Sc	66	030	3
12	035	11	7	L	3033	64	55	10	800	ST	66	033	2
13	040	13	10	BKN	3030	65	55	7	1200	Sc	60	035	2
14	015	14	10	BKN	3028	66	55	7	1200	Cu	66	035	2
15	050	19	10	BKN	3026	61	55	7	1200	Cu	66	050	3
16	080	19	10	BKN	3032	61	55	8	1200	Cu	66	050	4
17	050	19	10	BKN	3032	61	55	8	1200	Cu	66	050	4
18	050	18	10	BKN	3032	61	56	9	1200	Cu	66	050	4
19	040	18	10	BKN	3032	61	56	9	1200	Cu	66	050	4
20	055	19	10	BKN	3033	61	56	9	1200	Cu	66	050	4
21	070	21	8	L	3034	61	56	9	1200	Sc	66	050	4
22	080	20	9	BKN	3033	62	56	9	1200	Sc	67	050	4
23	065	18	9	L	3032	62	57	9	1200	Sc	67	050	4
24	065	13	9	L	3031	63	57	9	1200	Sc	67	050	4

POSITION	ZONE	TIME
0800 L 31 08.0N	BY	2
λ 137 05.0W	BY	2
1200 L 30-48N	BY	2
λ 137-50.8W	BY	2
2000 L 30 29 N	BY	2
λ 138 42.7	BY	2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 0800 (ZT) 15 Feb (Date)

TO 2000 (ZT) 15 Feb (Date)

SET 239

DRIFT .6 KTS

POSITION BETWEEN FIXES

MID. L 30 50 N

MID. λ 137 50W

MILES STEAMED 0000-2400: 231

FUEL CONSUMED 0000-2400: 2235

REMARKS

00-04 Steaming independently enroute from San Francisco, California to Pearl Harbor, Hawaii (with US NAVY TUG YTM 757 in TOW, 1200 feet of tow wire out and towing machine in automatic) in accordance with ComServPac sailord msg. 160031Z of Jan 1964. Base course 245° Spd 11.8 Kts. material condition yoke Modified set. Readiness Condition IV Engineering and Damage Control Conditions III set. 0115 exchanged calls with SS Hawaiian Citizen, at CPA of 5,800 yds. True Bearing of 155°,

J. L. Hollis, CWO2-USN

04-08 Underway as before 0945 mustered crew on stations absentees: none. Tested the ships whistle siren, General, chemical and steering emergency alarm test satisfactory

John Turner Ensign USN

APPROVED: C. C. Reed LT. U. S. N. COMMANDING

EXAMINED: R. S. Mason, Lt(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 SATURDAY (Day) 15 (Date) FEBRUARY (Month), 19 64

Ø8-12 Underway As Before. Ø812 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS NORMAL. Ø9ØØ THE COMMANDING OFFICER HELD MAST AND IMPOSED NON JUDICIAL PUNISHMENT AS FOLLOWS: KAPLITZ, ELLIOT (N) 528-09-46 PN3 USNR OFFENSE: VIOLATION OF ARTICLE 92. PUNISHMENT: DISMISSED WITH WARNING.

L E Horton
LTJG USN.

12-16 UNDERWAY AS BEFORE. 13ØØ WHILE ATTEMPTING TO REFILL COKE MACHINE MELTON, T.C., 996 17 49, EN2, USN RECEIVED A LACERATION, 3/4" SUPRA-RIGHT ORBITAL AND CONTUSION SUPERIOR OCCIPITAL AREAWHEN HE FELL; NOT DUE TO HIS OWN MISCONDUCT. TREATMENT ADMINISTERED BY THE MEDICAL REPRESENTATIVE DISPOSITION: TO DUTY.

C. P. McKenzie, Lcdr, USNR

16-20 Underway as before.

J. L. Hollis CEWO2 USN

18-20 Underway as before

Lm Jones Ens USN

2Ø-24 Underway as Before 2ØØ3 C/S TO 10.8 KTS.

L E Horton
LTJG USN.

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Sltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +9U DATE Sunday (Day) 16 (Date) February (Month), 1964

~~AT~~/PASSAGE FROM San Francisco, California TO Pearl Harbor, Hawaii

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	060	15	10	BKN	3030	64	57	7	1500	Sc	67	060	3
02	065	15	10	BKN	3030	64	57	7	1500	Sc	67	060	3
03	065	15	10	BKN	3028	64	57	7	1500	Sc	67	060	3
04	060	20	10	BKN	3029	64	57	8	1500	Sc	67	060	3
05	060	20	10	BKN	3029	64	57	8	1500	Sc	67	060	4
06	060	20	10	BKN	3029	64	57	8	1500	Sc	67	060	4
07	060	20	10	BKN	3028	64	57	8	1500	Sc	67	060	4
08	060	20	10	BKN	3028	64	58	7	1300	Sc	67	050	5
09	060	21	10	BKN	3029	64	58	7	1300	Sc	67	050	5
10	060	19	10	BKN	3028	65	59	6	1400	Sc	67	050	5
11	055	19	10	BKN	3027	65	60	6	1500	Sc	67	050	5
12	070	19	10	SCT	3028	65	60	3	1500	Sc	67	050	5
13	070	19	10	SCT	3025	64	59	5	1500	Cu/Ac	67	050	5
14	090	15	10	R	3023	65	59	8	1500	Sc	67	070	5
15	080	14	10	BKN	3023	64	59	6	1500	Cu	67	070	5
16	080	15	10	BKN	3022	65	60	6	1500	Cu	67	070	5
17	060	20	10	BKN	3026	65	60	6	1500	Cu	67	070	5
18	060	18	10	BKN	3025	65	60	7	1500	Cu	68	070	4
19	065	18	10	BKN	3025	65	60	7	1500	Cu	68	070	4
20	065	19	10	BKN	3026	64	60	7	1500	Cu	68	070	4
21	065	19	10	BKN	3026	64	60	7	1400	Cu	69	070	4
22	065	19	10	BKN	3027	64	59	8	1400	Cu	69	070	4
23	065	19	10	BKN	3027	64	59	7	1400	Cu	69	070	4
24	095	17	10	SCT	3027	65	61	5	1400	Cu	69	070	4

POSITION	ZONE TIME
0800 L 29 34 N BY 2 3	
λ 140 36.7 BY 2 3	
1200 L 29 19.8 N BY 2 3	
λ 141 01.2 W BY 2 3	
2000 L 28 38.6 N BY 2 3	
λ 142 21.3 W BY 2 3	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 0 hrs (ZT) 16 Feb (Date)

TO 24 hrs (ZT) 16 Feb (Date)

SET 245

DRIFT .6 kts

POSITION BETWEEN FIXES

MID. L 29 20 N

MID. λ 141 00 W

MILES STEAMED 0000-2400: 213

FUEL CONSUMED 0000-2400: 1591

REMARKS

00 - 04 UNDERWAY INDEPENDENTLY ENROUTE FROM SAN FRANCISCO, CALIF TO PEARL HARBOR, HAWAII WITH USNAVY TUG YTM 757 IN TOW IN COMPLIANCE WITH COMSERVPAC SAILORD MSG 160031Z OF JAN 1964. BASE COURSE 245° BASE SPEED 10.8 KTS MODIFIED MATERIAL CONDITION YOKE, LEADING CONDITION II, ENGINEERING CONDITION III, AND DAMAGE CONTROL CONDITION III. TOW IS AT 1200 FEET WITH TOWING ENGINE ON AUTOMATIC.

C. P. McKenzie, EN, USNR

04-08 Underway as before. 0728 C/S 10.1 Kts. 0745 mustered the crew on stations. Absentees: none, tested the ships Whistle, Siren, general, Chemical and steering Emergency alarms. Test satisfactory.

J. D. Hollis CWO2 USN

APPROVED: C. C. Reed Lt. U. S. N. COMMANDING

EXAMINED: R. D. Mason, Flyg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Sunday (Day) 16 (Date) February (Month) 19 64

08-12 Underway as before 0900 made daily inspection of magazine conditions normal.

Jm Dumas Ens USN

12-16 Underway As Before

J E Tarte
Lt JG USN

16-18 UNDERWAY AS BEFORE

C P McKenzie, Ens, USNR

18-20 Underway as before. 1856 sighted contact, Bearing 273°, Distance 9 miles, 1923 Contact passed CPA at Bearing 355°, Distance 3,800 yards, on Course 096 speed 14 Kts. Lost sight of Contact Bearing 101°, Distance 10.5 miles

J d Hollis. CWO2 USN

20-24 Underway as before

Jm Dumas Ens USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D V Mason, Lt(jg) U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +9 DATE MONDAY 17 FEBRUARY (Day) (Date) (Month), 19 64

AT/PASSAGE FROM SAN FRANCISCO, CALIFORNIA TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	099	19	10	SCT	3025	65	61	4	1400	CU	69	095	4
02	099	19	10	SCT	3023	64	60	4	1600	CU	69	095	4
03	104	21	10	BKN	3023	63	61	6	1600	CU	69	095	4
04	85	16	10	SCT	3017	66	60	5	1500	CU	70	090	4
05	097	17	10	SCT	3017	65	60	5	1500	CU	70	090	4
06	095	17	10	SCT	3017	65	60	4	1500	CU	70	090	4
07	088	16	10	SCT	3017	65	60	4	1500	CU	70	090	4
08	088	16	10	SCT	3024	65	60	4	1500	CU	70	090	4
09	088	16	10	SCT	3024	65	60	4	1500	CU	70	090	4
10	092	16	10	SCT	3024	65	60	4	1500	CU	70	090	4
11	073	17	10	SCT	3023	66	62	4	1500	CU	70	090	4
12	070	17	10	BKN	3022	67	62	6	1400	CU	70	090	4
13	070	15	10	BKN	3020	67	62	7	1400	CU	70	090	4
14	065	14	10	BKN	3018	68	63	8	1400	CU	70	080	3
15	065	13	10	BKN	3016	68	63	8	1400	CU	70	080	3
16	103	19	10	BKN	3015	68	64	6	1400	CU	70	100	3
17	095	15	10	BKN	3015	68	64	8	1600	SC	70	100	3
18	090	15	10	BKN	3015	68	64	9	1600	SC	71	100	3
19	095	17	10	L	3014	65	63	10	1000	ST	71	100	5
20	090	16	10	SCT	3017	68	64	5	1000	SC	71	100	3
21	090	16	10	SCT	3017	68	64	4	1000	SC	71	100	3
22	090	16	10	BKN	3017	68	64	6	1000	SC	71	100	2
23	090	15	10	BKN	3017	68	64	6	1000	SC	71	100	2
24	090	14	10	BKN	3016	69	65	7	1000	SC	71	100	2

POSITION	ZONE	TIME
0800 L	27 54.6	BY 3
λ	144 00W	BY 3
1200 L	27 39.7	BY 2
λ	144 33.2W	BY 2
2000 L	27 10.5	BY 3
λ	145 34	BY 3

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	0800 (ZT) 17 Feb (Date)
TO	2000 (ZT) 17 Feb (Date)
SET	115
DRIFT	.1 KTS

POSITION BETWEEN FIXES	
MID. L	27 30 N
MID. λ	144 30W

MILES STEAMED 0000-2400
190.3

FUEL CONSUMED 0000-2400
681

REMARKS

00-04 UNDERWAY INDEPENDENTLY ENROUTE FROM SAN FRANCISCO, CALIFORNIA TO PEARL HARBOR, HAWAII WITH YTM 757 IN TOW IN ACCORDANCE WITH COMSERVPAC SAILORD 16 00 31 Z OF JANUARY 1964. BASE COURSE 245° BASE SPEED 9.5 KTS. MODIFIED MATERIAL CONDITION YOKE, READINESS CONDITION II, ENGINEERING CONDITION III, AND DAMAGE CONTROL CONDITION III SET. 1200 FEET OF 2 INCH WIRE OUT TO TOW, TOWING ENGINE ON AUTOMATIC BEN

L E Hunter
LTJG USN

04-08 UNDERWAY AS BEFORE. 0745 MUSTERED THE CREW ON STATIONS. ABSENTEES: NONE.

C P McKenzie, Ens, USNR

APPROVED: C C Reed LT. U. S. N. COMMANDING

EXAMINED: D D Mason, LTJG U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 17 (Date) FEBRUARY (Month) 1964

08-12 underway as before. 0800 ~~d/s~~ 9.0 Kts 0802 exercised the Crew at general quarters drills, 0803 Lt(jg) NORTON has the deck and the Comm. 0920 Secured from general quarters drills, OOD has the deck and Comm. 1024 made daily inspection of magazines temperatures, Conditions: normals

J.L. Hollis. CWO 2 USN

12-16 Underway as before

Ron Turner Ens USNR

16-18 Underway As Before.

L E Norton
LTJG USN

18-20 UNDERWAY AS BEFORE

C P McKenzie, Ens, USNR

20-24 UNDERWAY AS BEFORE.

J.L. Hollis, CWO 2 USN

APPROVED: C C Reed Lt U. S. N. COMMANDING

EXAMINED: R D Mason, Stgr U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +9V DATE Tuesday (Day) 18 (Date) February (Month), 19 64

AT/PASSAGE FROM San Francisco Cal TO Pearl Harbor Hawaii

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	080	14	10	BKN	3015	69	65	7	1000	Sc	71	100	2
02	080	13	10	BKN	3014	69	65	7	1000	Sc	71	100	2
03	080	13	10	BKN	3012	69	65	6	1200	Sc	71	100	2
04	100	12	10	BKN	3015	68	64	6	1400	Sc	71	100	2
05	085	14	10	Sct	3015	69	64	4	1400	Sc	71	100	2
06	095	10	10	Sct	3015	69	64	2	1400	Sc	71	100	2
07	090	10	10	Sct	3015	69	65	3	1400	Sc	71	100	2
08	090	10	10	Sct	3014	70	65	4	1400	Sc	71	100	2
09	120	13	10	R	3014	71	65	7	1400	Sc	71	110	2
10	115	13	10	BKN	3013	70	65	7	1400	Sc	71	110	2
11	117	13	10	BKN	3014	74	67	7	1600	Sc	71	110	2
12	100	11	10	BKN	3016	74	67	7	1600	Sc	73	060	2
13	110	10	10	BKN	3014	74	67	7	1600	Sc	73	060	2
14	110	10	10	BKN	3014	74	67	7	1600	Sc	73	060	2
15	110	10	10	BKN	3014	74	67	7	1600	Sc	73	060	2
16	110	10	10	L	3008	72	66	8	1400	Sc	73	070	2
17	115	8	10	BKN	3006	71	66	7	1400	Sc	73	070	2
18	080	12	10	Sct	3008	70	66	4	1400	Sc	73	070	2
19	085	11	10	BKN	3008	71	67	6	1400	Sc	73	070	2
20	082	12	10	BKN	3009	71	66	6	1400	Sc	73	070	2
21	100	12	10	BKN	3010	70	65	6	1400	Cu	73	070	2
22	080	13	10	BKN	3010	70	65	6	1400	Cu	73	070	2
23	085	13	10	Sct	3010	70	65	5	1600	Cu	73	070	2
24	085	9	10	Sct	3010	70	65	1	1600	Sc	73	070	2

POSITION	ZONE	TIME
0800 L	26 47.5N	BY 3
λ	146 35 W	BY 3
1200 L	26 32	BY 23
λ	147 19.4	BY 23
2000 L	25 38	BY 3
λ	148 51.3	BY 3

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	0800 (ZT) 18 Feb (Date)
TO	2000 (ZT) 18 Feb (Date)
SET	065
DRIFT	1.5

POSITION BETWEEN FIXES	
MID. L	26° 30N
MID. λ	147 15 W

MILES STEAMED 0000-2400
223.5

FUEL CONSUMED 0000-2400
1682

REMARKS

00-04 Underway Independently enroute from San Francisco California to Pearl Harbor Hawaii with YTM 757 in Tow in accordance with ComServLoe Sail Ord message 160031Z Jan 64, Base course 245 Base speed 9.0 kts Modified material yoke, headmen condition II Engineering condition III and Damage control condition III set. 1200 feet of 2 inch wire out to tow, towing engine on automatic.

Jas Turner Ensign USN

04-08 Underway As Before. 0745 Mustered crew on stations. Absentees: None

R E Horton
LTJG USN

APPROVED:

C C Reed Lt. U. S. N. COMMANDING

EXAMINED:

R D Mason, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 TUESDAY (Day) 18 (Date) FEBRUARY (Month) 19 64

0800-1200 UNDERWAY AS BEFORE. 0810 C/E TO 11.3 KTS. 0814 EXERCISED THE CREW AT GENERAL QUARTERS. 0816 SET CONDITION ZEBRA. 0900 SET MATERIAL CONDITION YOKE. 0912 SECURED FROM GENERAL QUARTERS. 0925 C/S TO 11.8 KTS. 0926 TOWING WINCH PUT ON MANUAL. 1001 MADE DAILY INSPECTION OF MAGAZINES. CONDITIONS NORMAL.

C. P. McKenzie, Ens, USNR

1200-1600 UNDERWAY AS BEFORE.

J. D. Hollis, CWO-2-USN

1600-1800 Underway as before.

[signature] Ens USNR

1800-2000 Underway As before. 1800 Retarded ships clocks one hour to conform with +10 time zone.

[signature]
LTJG USN

2000-2400 UNDERWAY AS BEFORE.

C. P. McKenzie, Ens, USNR.

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: [signature] U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION +10W DATE WEDNESDAY (Day) 19 (Date) FEBRUARY (Month), 19 64

AT/PASSAGE FROM SAN FRANCISCO, CALIFORNIA TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	085	10	10	SCT	3007	70	65	1	1600	Sc	73	070	2
02	085	9	10	SCT	3007	70	65	2	1500	Sc	73	070	2
03	085	8	10	SCT	3007	70	65	2	1500	Sc	73	070	2
04	084	9	10	SCT	3006	70	65	3	1500	Sc	74	070	2
05	084	9	10	SCT	3006	71	65	4	1400	Sc	74	070	2
06	080	9	10	SCT	3007	72	66	4	1400	Sc	74	070	2
07	080	9	10	SCT	3008	74	66	5	1400	Sc	74	070	2
08	055	11	10	SCT	3008	75	68	2	1400	Cu	74	070	2
09	090	12	10	SCT	3009	76	68	3	1400	Cu	74	070	2
10	093	14	10	SCT	3010	76	68	3	1400	Cu	74	070	2
11	095	12	10	SCT	3010	76	68	2	1400	Cu	74	070	2
12	095	12	10	SCT	3004	76	69	2	1400	Cu	74	070	2
13	095	12	10	SCT	3002	77	69	3	1600	Cu	74	070	2
14	085	10	10	SCT	3001	76	68	3	1600	Cu	74	080	3
15	085	11	10	SCT	3001	76	68	3	1600	Cu	74	085	3
16	090	11	10	SCT	3001	76	68	3	1600	Cu	74	085	3
17	090	11	10	SCT	3002	76	68	3	1600	Cu	74	085	3
18	100	10	10	SCT	3003	75	68	3	1600	Cu	74	085	3
19	100	10	10	SCT	3004	75	68	3	1600	Cu	74	085	3
20	070	11	10	BKN	3006	73	66	8	1000	Cu	75	070	3
21	080	11	10	BKN	3008	73	66	6	1000	Cu	75	070	3
22	075	11	10	BKN	3008	73	66	9	1000	Cu	76	080	3
23	080	12	10	SCT	3004	73	66	4	1000	Cu	76	080	3
24	085	11	10	SCT	3002	73	66	4	1000	Cu	76	080	3

POSITION	ZONE	TIME
0800 L	24 39.7	BY 3
λ	150 35W	BY 3
1200 L	24 20.1N	BY 23
λ	151 12.4W	BY 23
2000 L	23 43.3N	BY 3
λ	152 28.5W	BY 3

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 0800 (ZT) 19 Feb (Date)
TO 2000 (ZT) 19 Feb (Date)
SET 136
DRIFT 3 KTS

POSITION BETWEEN FIXES

MID. L 24 20.4N
MID. λ 151 10W

MILES STEAMED 0000-2400
233.0

FUEL CONSUMED 0000-2400
1878

REMARKS

00-04 STEAMING INDEPENDANTLY FROM SAN FRANCISCO, CALIFORNIA TO PEARL HARBOR, HAWAII WITH USN YTM 757 IN TOW IN ACCORDANCE WITH COMSERVPAC SAILORDER MSG. 160031Z OF JAN. 1964, BASE COURSE 240°, SPEED 11.8 Kts. MATERIAL CONDITION YOKE (MODIFIED) SET, READINESS CONDITION III, ENGINEERING AND DAMAGE CONTROL CONDITIONS III SET. TOW AT 1200 FEET ON THE BRAKE.

J. L. Hollis, CWO2 USN

04-08 Underway as before 0745 Mustered crew on stations absentees none. Test ships whistle, general Chemical, General and steering emergency alarms.

Lee Turner Ensign

APPROVED: CC Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Nasen, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 WEDNESDAY (Day) 19 (Date) FEBRUARY (Month) 19 64

0800-12 Underway As Before 0800 C/C To 242° 0812 Exercised At Steering Casualty Drill 0811 Secured From Steering Casualty Drill. 0847 Made Daily Inspection of Magazines; Conditions Normal. 0858 Hoisted #2 MWB Out. 0907 C/S To A/S #2 MWB Lowered 0909 C/S - AA 3.3 Kts. 0910 ~~C/S To~~ 0910 C/S To 6.7.. 0912 C/S 9.5 0913 C/S To A/S 0914 C/S To A/A 3.3 Kts. 0920 C/S To 9.5 Kts. 0921 Hoisted In #2 MWB. 0922 C/S To 11.8 Kts 0930 Received Injury Report On Gallagher, Richard, W. RD1 248-84-53 USN Who Received Extensive Rope Burns On Both Hands While Tending A Line During Hoisting Of #2 MWB. Not Due To Misconduct. Treated By Medical Representive And Placed On Light Duty.

L E Horton
LTJG USN.

12-16 UNDERWAY AS BEFORE

C P McKenzie, Cmdr, USNR

16-18 UNDERWAY AS BEFORE.

J.C. Hollis, CWO2 USN

18-20 Underway as before

Lon Turner Ens USNR

20-24 Underway As Before. 2000 C/S To 11.3 Kts.

L E Horton
LTJG USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Mason, Stgr U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF96 ZONE DESCRIPTION +10W DATE THURSDAY (Day) 20 FEBRUARY (Date) (Month), 19 64

AT/PASSAGE FROM SAN FRANCISCO, CALIF TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	065	11	10	SCT	3003	73	66	4	1000	CU	76	080	3
02	080	12	10	SCT	3002	72	66	4	1000	CU	76	080	3
03	085	13	10	SCT	3005	72	65	4	1400	CU	76	085	2
04	085	11	10	SCT	3003	74	66	3	1400	CU	75	085	2
05	085	10	10	SCT	3003	74	66	3	1400	CU	75	085	2
06	085	10	10	SCT	3003	74	66	3	1400	CU	75	085	2
07	085	10	10	SCT	3003	74	66	3	1400	CU	75	085	2
08	085	10	10	SCT	3004	75	67	3	1400	CU	75	085	2
09	090	11	10	SCT	3006	77	68	3	1500	CU	75	080	2
10	090	11	10	SCT	3008	79	68	3	1500	CU	76	080	2
11	090	11	10	SCT	3009	81	70	3	1500	CU	76	080	2
12	080	12	10	SCT	3006	78	69	1	1500	CU	76	080	2
13	080	12	10	SCT	3004	77	69	2	1500	CU	75	080	2
14	080	11	10	SCT	3002	77	69	2	1500	CU	75	080	2
15	080	11	10	SCT	3001	76	68	3	1500	CU	75	080	2
16	090	12	10	SCT	3001	76	68	3	1500	CU	75	080	2
17	090	12	10	SCT	3000	75	70	4	1800	CU	75	085	2
18	075	12	10	SCT	3000	75	70	5	1800	CU	75	085	2
19	075	12	10	SCT	3004	75	68	5	1800	CU	75	085	2
20	075	12	10	SCT	3004	75	68	5	1800	CU	76	085	2
21	075	12	10	SCT	3005	75	68	5	1800	CU	76	085	2
22	180	13	10	SCT	3005	75	69	4	1800	CU	76	095	2
23	180	13	10	SCT	3006	75	69	4	1800	CU	76	095	2
24	088	13	10	SCT	3004	74	68	4	1800	CU	76	095	2

POSITION	ZONE	TIME
0800 L	22 42.6	BY 3
λ	154 21.6	BY 3
1200 L	22 29N	BY 13
λ	154 55.8	BY 13
2000 L	21 57.8	BY 1
λ	156 03.5	BY 1

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 0800 (ZT) 20 Feb (Date)

TO 2000 (ZT) 20 Feb (Date)

SET 189

DRIFT .5 KTS

POSITION BETWEEN FIXES

MID. L 22 30N

MID. λ 154 55W

MILES STEAMED 0000-2400: 220.9

FUEL CONSUMED 0000-2400: 1320

REMARKS

0800-0400 UNDERWAY INDEPENDENTLY FROM SAN FRANCISCO, CALIFORNIA TO PEARL HARBOR, HAWAII WITH OS NAVY YTM 757 IN TOW IN COMPLIANCE WITH COMSERVPAC SAILORDER MSG 160031Z OF JAN 1964. BASE COURSE 242°, SPEED 11.3. MATERIAL CONDITION YOKE MODIFIED, READINESS CONDITION ~~III~~ II, ENGINEERING AND DAMAGE CONTROL CONDITION III IS SET. TOW IS AT 1200 FEET ON MANUAL.

C P McKenzie, Ens, USNR

0400-0800 UNDERWAY AS BEFORE. 0545 sighted satilite type object bearing 175°, elivation 40°, traveling in a southerly direction. 0554 object disappeared over the horizon on bearing 160. 0745 mustered the crew at Quarters, absentees: none. Tested ships whistle, siren, general, Chemical & Steering Emergency Alarms. Test Satisfactory.

J. D. Hollis - CWO2 USN

APPROVED: C C Reed Lt U. S. N. COMMANDING

EXAMINED: D D Mason, Lt(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Thursday (Day) 20 (Date) February (Month), 1964

08-12 Underway as before. 0800 Ck to 246 0900 Commanding Officer held mast and imposed non judicial punishment as follows. Compos Robert (N) 681-75-21, ENFN, USN OFFENSE: Failure to obey an order or regulation. violation of art 92 of UCMJ. on Feb 16, 1964. Punishment: Confinement on bread and water for 3 days and reduction to the next inferior pay grade. 0918 Made daily inspection of magazines and lockers normal

Thos Turner Ens USN

12-16 Underway As Before. 1321 Lost Gyro Input To Steering Repeater. Commenced Steering 234° PSTC

JE Hartman
LTJG USN

16-18 UNDERWAY AS BEFORE.

C. P. McKenzie, Ens, USNR

18-20 UNDERWAY AS BEFORE

J. R. Hollis, CWO 2, USN

20-24 Underway as before

Thos Turner Ens USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D D Mason, Lt(jg) U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE FRIDAY (Day) 21 (Date) FEBRUARY (Month), 19 64

AT/PASSAGE FROM SAN FRANCISCO, CALIF TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	090	12	10	SCT	3004	74	68	4	1800	CU	76	090	2
02	080	13	10	SCT	3002	74	68	2	1400	CU	76	090	3
03	080	13	10	SCT	3001	74	67	1	1400	CU	76	090	3
04	080	13	10	SCT	3001	74	67	1	1400	CU	76	090	3
05	085	12	10	SCT	3001	75	67	1	1400	CU	76	080	3
06	080	12	10	SCT	3000	76	67	1	1400	CU	76	085	3
07	068	11	10	SCT	3000	78	67	4	1400	CU	76	080	2
08	068	11	10	SCT	3000	76	67	4	1400	CU	76	080	2
09	068	11	10	SCT	3000	76	67	4	1400	CU			
10	070	11	10	SCT	3000	80	70	4	1400	CU			
11	044	9	10	SCT	3001	82	70	4	1500	CU			
12	045	9	10	SCT	3001	84	71	3	1500	CU			
13	045	8	10	SCT	3002	87	73	3	1500	CU			
14	045	7	10	SCT	3001	89	75	3	1500	CU			
15	040	7	10	SCT	3000	89	75	3	1500	CU			
16	044	7	10	SCT	3000	89	75	3	1500	CU			
17	044	6	10	SCT	3000	87	75	3	1500	CU			
18	044	5	10	SCT	3001	85	74	2	1500	CU			
19	044	5	9	SCT	3001	83	74	2	1500	CU			
20	050	5	9	SCT	3002	82	73	2	1500	CU			
21	045	4	9	SCT	3006	80	72	2	1500	CU			
22	050	3	10	SCT	3009	76	71	2	1500	CU			
23	050	2	10	SCT	3010	72	71	2	1500	CU			
24	050	2	10	SCT	3011	72	69	2	1500	CU			

POSITION	ZONE	TIME
0800 L	21 57N	BY 3
λ	157 50W	BY 3
1200 L	IN PORT	BY
λ		BY
2000 L	IN PORT	BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 0800 21 Feb (ZT) (Date)

TO 2100 21 Feb (ZT) (Date)

SET 164

DRIFT 2 KTS

POSITION BETWEEN FIXES

MID. L 21 57N

MID. λ 157 50W

MILES STEAMED 0000-2400

89.3

FUEL CONSUMED 0000-2400

826

REMARKS

ØØ-Ø4. UNDERWAY INDEPENDENTLY ENROUTE FROM SAN FRANCISCO ~~CALIFORNIA~~ TO CALIFORNIA TO PEARL HARBOR, HAWAII, IN ACCORDANCE WITH COM SERV PAC SAIL ORDER MSG 16ØØ317 OF JANUARY 1964 WITH YTM 757 IN TOW. BASE COURSE 242° BASE SPEED 10.8 KTS. MATERIAL CONDITION YOKE MODIFIED, READINESS CONDITION IV ENGINEERING CONDITION III, AND DAMAGE CONTROL CONDITION III SET. TOW IS ON 12ØØ FT OF 2 INCH TOW WIRE, TOWING ENGINE ON MANUAL. Ø12Ø SIGHTED AND IDENTIFIED MAKANALUA LIGHT BEARING 2ØØ°, 21 MILE. Ø249 C/S to 10.1 KTS. Ø35Ø SIGHTED MAKAPUU PT LIGHT BEARING 258, 29 MILES. FEH

LE Hooten LTJG USN

Ø4-Ø8 UNDERWAY AS BEFORE. Ø42Ø SIGHTED LAAU PT LIGHT BEARING 190, 12 MI. Ø43Ø C/S TO 9.5 KTS. Ø5Ø4 C/C TO 251° Ø726 C/C TO 263. Ø74Ø C/C TO 258° Ø745 MUSTERED THE CREW ON STATIONS: ABSENTEES: NONE. Ø749 C/S TO 12.2 KTS. FEH

C. P. McKergie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Mason, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 21 (Date) FEBRUARY (Month) 1964

08-12 UNDERWAY AS BEFORE 0816 made daily inspection of Magazines, Condition Normal. made weekly test of Magazine sprinkler system, Test Satisfactory. 0822 C/C 290°; 0836 C/C 296°; 0852 C/C 282°; 0853 C/C 296°; 0908 C/S 9.5 Kts. C/C 290°; 0912 C/S 6.7 Kts. 0918 C/C 325° 0923 C/C 340°; Commenced preparations for entering port. 0924 set the Special Sea and Anchor detail, Captain and Navigator on the Bridge. 0925 C/S 7.7 Kts. 0927 entered inland waters. 0928 Commenced steering Base course 333°, at various speeds while entering the pearl Harbor channel & harbor with YTM 757 in tow. 0929 YTM 757 headed into 300 feet. 0943 passed Buoy 1 to stbd Beam 150 yards. 0956 passed Buoy #6 abeam to stbd approximately 200 feet. 0958 YTM 263 alongside to stbd. to pick up personnel. 0959 Captain has the conn. 1001 YTM 263 cast off. 1010 OOD has the conn. 1017 YTM 263 making up tow - Cast off tow pennant. YTM 263 Underway with tow (YTM-757). 1020 passed Buoy 16 abeam to stbd - 100 yds. 1036 Captain has the conn. commenced approach to Berth Sierra 17 Fwd. 1044 moored port side to berth Sierra 17 Fwd, U.S. Naval Submarine Base pearl Harbor, Hawaii. with stbd. mooring lines doubled. 1051 YTM 757 moored outboard to starboard. Secured the special and Anchor detail. Set the regular inport watches. 1140 Pursuant to the orders of the Commanding Officer, Campos, Robert (N), 681-75-26 ENFA USN was escorted from the ship to the Navy Marine Barracks Brig, pearl Harbor T.H. and placed in confinement on Bread & Water for Three (3) days in execution of non-judicial punishment assigned him at mast on 20 February 1964

J. L. Wallis, AKU02 USN

12-16 MOORED AS BEFORE.

F. E. Horton
LT JG USN

16-20 MOORED AS BEFORE. 1800 SET MODIFIED MATERIAL CONDITION YOKE.

F. E. Horton
LT JG USN

20-24 Moored as Before

F. E. Horton
LT JG USN.

APPROVED: C. C. Reed Lt. U. S. N. COMMANDING

EXAMINED: D. D. Mason, Jr. U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10 W DATE SATURDAY Friday (Day) 22 (Date) Feb (Month), 19 6f

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	2	10	CLR	30 11	72	69						
02	040	2	10	CLR	30 10	73	69						
03	040	2	10	CLR	3010	74	70						
04	040	2	10	SCT	3011	75	70	3	1000	Cu			
05	045	2	10	SCT	3012	76	70	3	1000	Cu			
06	045	2	10	SCT	3012	77	71	2	1000	Cu			
07	050	2	10	SCT	3012	78	71	2	1000	Cu			
08	050	2	10	CLR	3011	79	71						
09	045	2	10	CLR	3011	80	72						
10	045	2	10	CLR	3010	81	72						
11	050	2	10	CLR	3012	82	74						
12	050	2	10	CLR	3013	84	74						
13	045	2	10	CLR	3014	86	76						
14	045	2	10	CLR	3015	87	76						
15	045	2	10	SCT	3016	88	76	1	1000	Cu			
16	050	2	10	SCT	3017	86	75	1	1000	Cu			
17	050	2	10	CLR	3016	84	75						
18	050	2	10	CLR	3015	82	75						
19	050	2	10	CLR	3014	81	74						
20	050	2	10	CLR	3013	80	73						
21	050	2	10	CLR	3013	79	72						
22	050	2	10	CLR	3013	79	71						
23	050	2	10	CLR	3012	79	70						
24	070	2	10	CLR	3012	78	70						

POSITION	ZONE	TIME
0800		
L In port		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored Port Side To In Berth Sierra Seventeen, US Submarine Base, Pearl Harbor, Hawaii, With Standard Mooring Lines Doubled. YTM 757 Moored Alongside To Starboard. Modified Material Condition Yoke Set. Receiving Electrical Power, Fresh Water, And Telephone Service From The Pier. Ships Present Include Various Units Of US Pacific Fleet, Yard, And District Craft SOPA is CinCPacFlt.

L E Horton
LTJG USN

04-08 Moored As Before 0745 Mustered Crew On Stations: Absentees None

L E Horton
LTJG USN

APPROVED: C C Reed Lt U. S. N. COMMANDING

EXAMINED: R D Mason, Lt(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki CATF-96 SATURDAY (Day) 22 (Date) Feb (Month) 19 64

08-12 Moored as before 0910 Made daily inspection of ships MAGAZINES. Conditions NORMAL.

D S Mason, Stgj, USNR

12-16 Moored as before.

D S Mason, Stgj, USNR

16-20. Moored as before. 1800 Set Material condition Yoke (Modified).

D S Mason, Stgj

20-24 Moored as before

D S Mason, Stgj

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D S Mason, Stgj U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE Sunday (Day) 23 (Date) Feb (Month) 1964, 19__

AT/PASSAGE ~~FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	1	10	Sct	30 11	77	70	1	2000	Cu			
02	040	1	10	sct	30 10	77	70	2	2000	Cu			
03	040	1	10	Sct	3010	79	70	2	2000	Cu			
04	040	1	10	Sct	3011	79	70	1	2000	Cu			
05	040	1	10	CLR	3012	80	72						
06	040	1	10	CLR	3010	80	72						
07	040	1	10	CLR	3009	81	72						
08	040	1	10	CLR	3009	82	74						
09			10	CLR	3009	84	77						
10			10	CLR	3009	84	74						
11			10	CLR	3009	85	74						
12			10	CLR	3008	86	76						
13			10	CLR	3008	87	76						
14			10	CLR	3008	88	74						
15			10	sct	3008	87	74	2	2000	Cu			
16	040	2	10	sct	3007	86	72	2	2000	Cu			
17	040	1	10	sct	3007	85	71	2	2000	Cu			
18			10	sct	3007	83	71	2	2000	Cu			
19			10	Sct	3007	81	71	2	2000	Cu			
20			10	Sct	3006	82	70	2	2000	Cu			
21			10	Sct	3006	79	70	2	2000	Cu			
22	040	1	10	Sct	3006	79	70	2	2000	Cu			
23	040	2	10	Sct	3006	79	70	2	2000	Cu			
24	040	3	10	Sct	3006	79	70	2	2000	Cu			

POSITION	ZONE	TIME
0800		
L at pier		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 25

REMARKS

00-04. Moored portside to berth S-17 fwd, U.S. Naval Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Material condition Yoke (Modified) is set. Receiving Telephone, ~~steam~~, fresh water, and electricity from the pier. 2 Ships present include various units of the U.S. Pacific Fleet, yard and district craft. SOPA is CINCPACFLT.

D. D. Mason, Ltjg, USNR

04-08 Moored as before. 0745 Mustered the crew at quarters Absentees: None.

D. D. Mason, Ltjg, USNR

APPROVED: C. C. Reed Lt. U. S. N. COMMANDING

EXAMINED: D. D. Mason, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 23 (Date) FEBRUARY (Month) 1964

DR-12 moored as before: 0820 made daily inspection of magazines, condition; normal.

J.L. Hollis, CWO2, USN

12-16 moored as before:

J.L. Hollis, CWO2, USN

16-20 moored as before: 1800 set material condition yoke (modified).

J.L. Hollis, CWO2, USN

20-24 moored as before: 2030 Campos, Robert (N), 681-75-26 ENPA USN returned from three (3) days confinement in the US Marine Barracks Brig, Pearl Harbor, Hawaii, returned to Duty.

J.L. Hollis, CWO2, USN

2

APPROVED: Capt Lt. U. S. N. COMMANDING

EXAMINED: D.S. Mason, Stfj U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE MONDAY (Day) 24 (Date) FEBRUARY (Month), 1964

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	3	10	Sct	3007	75	68	3	2700	Cu			
02	040	3	10	Sct	3008	75	68	3	2700	Cu			
03	040	3	10	Sct	3009	76	68	4	2700	Cu			
04	040	3	10	Sct	3010	76	68	4	2700	St			
05	040	2	10	Sct	3012	76	68	3	2000	Cu			
06	030	2	10	Sct	3014	77	69	3	2000	Cu			
07	020	2	10	Sct	3015	79	70	3	2000	Cu			
08	020	2	10	Sct	3016	81	73	3	2000	CU			
09	030	4	10	Sct	3016	83	73	3	2000	Cu			
10	030	4	10	Sct	3016	84	73	3	2000	Cu			
11	030	3	10	Sct	3018	86	73	3	2000	CU			
12	030	4	10	Sct	3015	87	73	3	2000	Cu			
13	020	4	10	Sct	3013	88	73	3	2000	Cu			
14	020	3	10	Sct	3011	88	74	3	2000	Cu			
15	040	2	10	Sct	3008	88	74	3	2000	Cu			
16	030	4	10	Sct	3008	84	72	3	2000	Cu			
17	040	4	10	Sct	3009	80	72	3	2000	CU			
18	040	2	10	Sct	3008	79	71	3	2000	Cu			
19	040	2	10	Sct	3006	78	70	3	2000	Cu			
20	040	3	10	Sct	3006	77	70	3	2000	Cu			
21	040	3	10	Sct	3006	77	70	3	2000	CU			
22	040	3	10	Sct	3006	76	70	3	2000	Cu			
23	040	3	10	Sct	3006	72	70	3	2000	Cu			
24	040	3	10	Sct	3005	75	70	3	2000	Cu			

POSITION	ZONE	TIME
0800		
L IN port	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
3822

REMARKS

00-04 moored port side to berth Sierra 17 7wd U.S. Naval Submarine Base, Pearl Harbor, Hawaii, with std. mooring lines doubled, and USN YTM 357 moored outboard to starboard, Material Condition Yoke (modified) set. Receiving potable water, Electrical power, and telephone service from the pier. Ships present include various units of the U.S. pacific Fleet, District and Small Craft. S.O.P.A. is Cinc pac Fleet.

J.L. Hollis, CWO2 USN

04-08 moored as before: 0745 mustered the crew at Quarters, absentees: None.

J.L Hollis. CWO2 USN

APPROVED: C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Nason Lt(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Monday (Day) 24 (Date) Feb (Month) 19 64

08-12 Moored as before. 0827 Made daily inspection of magazines conditions normal. 1000 YTM 263 took YTM 757 from alongside our starboard side

Lou Jones Enl USN

12-16. Moored as before.

Lou Jones Enl USN

16-20 Moored as before. 1800 Set material condition Yoke Modified.

Lou Jones Enl USN

20-24 Moored as before.

Lou Jones Enl USN

APPROVED: C C Read Lt. U. S. N. COMMANDING

EXAMINED: D D Mason, Stgs. U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Tuesday (Day) 25 (Date) Feb (Month), 19 64

AT/PASSAGE FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	044	3	10	sct	3008	74	66	4	1500	Cu			
02	040	3	10	sct	3009	74	67	4	1500	Cu			
03	045	1	10	sct	3010	74	67	4	1500	Cu			
04	030	5	10	sct	3009	74	68	3	1500	Cu			
05	050	3	10	sct	3009	78	66	3	1600	Cu			
06	060	3	10	sct	3010	75	67	4	1600	Cu			
07	080	3	10	sct	3011	73	67	6	1800	Cu			
08	080	3	10	sct	3013	74	70	3	1500	Cu			
09	080	3	10	sct	3015	76	71	3	1000	Cu			
10	080	2	10	sct	3014	80	72	2	1500	Cu			
11	080	2	10	sct	3012	78	72	3	1500	Cu			
12	080	2	10	sct	3010	78	72	3	2000	Cu			
13	080	2	10	sct	3009	78	71	3	2000	Cu			
14	080	2	10	sct	3009	79	71	3	2000	Cu			
15	080	2	10	sct	3009	78	70	3	2000	Cu			
16	080	2	10	sct	3009	77	70	3	2000	Cu			
17	080	2	10	sct	3009	77	70	3	2000	Cu			
18	080	2	10	sct	3009	77	69	3	2000	Cu			
19	080	2	10	sct	3009	76	67	3	2000	Cu			
20	080	2	10	sct	3010	76	68	4	2000	Cu			
21	080	2	10	sct	3012	76	68	4	2000	Cu			
22	080	2	10	sct	3012	76	68	2	2000	Cu			
23	080	2	10	sct	3012	76	69	2	2000	Cu			
24	070	2	10	sct	3012	76	68	2	2000	Cu			

POSITION	ZONE	TIME
0800		
L IN port	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

0

FUEL CONSUMED 0000-2400

60

REMARKS

00-04 Moored portside to berth Serving Seventeen U.S. naval Submarine base Pearl Harbor Hawaii using standard nylon mooring lines, receiving fresh water, electrical power, and telephone service from pier. Ships present include various units of US Pacific fleet and various yard and district craft. Sopa is C.O.C Pac Fdt.

Lyn Turner Ens USN

04-08 Moored as before. 0745 Mustered crew at quarters absentees none

Lyn Turner Ens USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R A Mason, Sfg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF. 96) TUESDAY (Day) 25 (Date) FEBRUARY (Month) 19 64

Ø8-12 MOORED AS BEFORE. Ø842 MADE DAILY INSPECTION OF MAGAZINES. CONDITIONS: NORMAL. 1ØØ8 DIVERS OVER THE SIDE. 1Ø32 DIVERS BACK ON DECK. 1Ø35 TEMPORARY PATCH PLACED INBOARD, AFTER BOTTOM OF FUEL TANK A-401F. USED MONEL BOLT ½" X 6" WITH CONI AND LEATHER WASHERS. TESTED AND HOLDING SATISFACTORY.

C.P. McKenzie, Ens, USNR

12-16 MOORED AS BEFORE.

C.P. McKenzie, Ens, USNR

16-2Ø. MOORED AS BEFORE. 18ØØ SET MATERIAL CONDITION YOKE MODIFIED. MUSTERED THE DUTY FIRE PARTY. ABSENTEES NONE.

C.P. McKenzie, Ens, USNR

2Ø-24 MOORED AS BEFORE.

C.P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D D Mason, Lt. U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE ~~TUESDAY~~ WEDNESDAY ~~25~~ 26 FEBRUARY (Day) (Date) (Month), 19 67

AT/~~PASSAGE FROM~~ PEARL HARBOR, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	3	5	Sct	3013	74	66	3	1000	Cu			
02	040	2	5	Sct	3013	72	65	4	1000	Cu			
03	040	2	5	Sct	3013	72	66	2	1000	Cu			
04	020	2	5	Sct	3012	72	66	2	1000	Cu			
05	040	2	5	Sct	3014	71	66	2	1000	Cu			
06	040	3	7	Sct	3014	70	66	4	1000	Cu			
07	035	3	10	BKN	3015	71	66	7	1000	Cu			
08	040	3	10	Sct	3017	73	67	4	1000	Cu			
09	040	3	10	Sct	3020	74	67	5	1000	Cu			
10	040	3	10	Sct	3021	77	68	4	1000	Cu			
11	040	2	10	L	3020	76	68	5	1000	Cu			
12	040	2	10	Sct	3020	79	68	5	1000	Cu			
13	040	2	10	Sct	3020	79	68	4	1000	Cu			
14	040	2	10	Sct	3021	81	64	4	1000	Cu			
15	040	2	10	Sct	3021	82	70	4	1000	Cu			
16	040	2	10	Sct	3014	86	70	5	1000	Cu			
17	040	2	10	BKN	3014	85	70	8	1000	Cu			
18	040	2	10	BKN	3015	82	70	8	1000	Cu			
19	040	2	10	BKN	3016	81	71	8	1000	Cu			
20	040	2	10	Sct	3014	80	72	6	1000	Cu			
21	040	2	10	Sct	3014	79	71	6	1000	Cu			
22	040	2	10	R	3013	78	70	10	1000	Cu			
23	040	2	10	R	3013	77	70	10	1000	Cu			
24	040	2	10	L	3014	76	70	7	1000	Cu			

POSITION	ZONE	TIME
0800		
L 1N/point	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04. MOORED PORT SIDE TO IN BERTH SIERRA SEVENTEEN (S-17) FWD US NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE MODIFIED AS SET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, DISTRICT, AND YARD CRAFT. SOPA IS CINC PAC FLT.

C. P. McKenzie, Ens, USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Mason Lt(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Wednesday (Day) 26 (Date) Feb (Month) 19 64

ØØ-12 Moored as Before. Ø822 Commenced taking on fuel. Draft fwd 14'0" aft 15'2" Ø847 Made daily inspection of Magazines: Condition Normal. McLoncon, Francis, C, FN 484-23-66 RECEIVED LACERATION OF RIGHT EYELID. IN PERFORMANCE OF DUTY, NOT DUE TO MIS CONDUCT. TREATMENT: CLEANSED AND CLOSED WITH ONE NUMBER H-O B/S. RETURNED TO DUTY. Ø932 SECURED taking on fuel Draft: fwd 14'0" aft 16'5".

J E Hunter
LTJG USN.

12-16. Moored as before.

J E Hunter
LTJG USN

16-20 Moored as before. 1860 Set Modified Material Condition Yoke.

J E Hunter
LTJG USN

20-24 Moored as Before

J E Hunter
LTJG USN.

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Nason, Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION _____ DATE Thursday (Day) 27 (Date) Feb (Month), 19 64

AT/PASSAGE FROM Pearl Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	041	4	10	L	3016	75	70	4	1000	St			
02	040	2	10	L	3018	75	70	4	1000	Sc			
03	040	2	10	L	3020	76	70	4	1000	Sc			
04	045	2	10	L	3018	74	70	4	1000	Sc			
05	040	3	8	R	3018	72	65	4	1000	Sc			
06	035	3	8	L	3018	72	65	7	1000	Sc			
07	035	5	10	Sct	3019	74	65	7	1000	Cu			
08	035	4	10	Sct	3020	75	67	5	1000	Cu			
09	035	5	10	Sct	3020	78	67	5	2000	Cu			
10	035	5	10	Sct	3022	80	68	4	3000	Cu			
11	050	5	10	Sct	3021	85	67	3	3000	Cu			
12	050	5	10	Sct	3018	85	73	5	3000	Cu			
13	040	5	10	Sct	3016	83	73	5	3000	Cu			
14	040	5	10	Sct	3014	85	70	4	3000	Cu			
15	050	4	10	Sct	3012	84	71	4	3000	Cu			
16	030	4	10	Sct	3011	81	70	4	2000	Cu			
17	040	2	10	Sct	3011	81	69	4	2000	Cu			
18	030	2	10	Sct	3011	80	69	4	2000	Cu			
19	020	2	10	Sct	3013	77	68	4	2000	Cu			
20	030	4	10	Sct	3016	76	68	4	2000	Cu			
21	035	4	10	L	3017	75	67	9	2000	Cu			
22	040	6	8	Sct	3016	74	67	4	2000	Cu			
23	040	4	8	Sct	3018	73	66	4	1000	Cu			
24	040	6	8	Sct	3019	73	66	4	1000	Cu			

POSITION	ZONE	TIME
0800		
L In port	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

0000-04 Moored Port side to in berth Service Seventeen, US Submarine Base Pearl Harbor, Hawaii with Standard mooring lines. Modified Material condition YOKE Set. Receiving freshwater, Electrical Power, and telephone service from the pier. Ships present include Various units of U.S. Pacific Fleet, Yard and District craft. SOPA is ComSubPac FLT.

L E Hartman
LT(jg) USN.

0400-08 Moored as before. 0745 Mustered crew at Quarters; Absentees: None.

L E Hartman
LT(jg) USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D S Mason, Lt(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Thursday (Day) 27 (Date) Feb (Month) 1964

08-12 Moored as before. 0958 Made daily inspection of ships MAGAZINE. conditions NORMAL.

D D Mason, Stgj, USNR

12-16 Moored as before.

D D Mason. Stgj

16-20. Moored as before. 1800 SET MATERIAL CONDITION YOKE (Modified).

D D Mason, Stgj, USNR

20-24 Moored as before

D D Mason, Stgj, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D D Mason, Stgj U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Friday 28 Feb (Day) (Date) (Month), 1964

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	5	8	Sct	3015	72	65	2	7000	Cu			
02	040	5	8,	Sct	3015	72	65	2	7000	Cu			
03	045	3	8,	Sct	3014	72	65	2	7000	Cu			
04	045	4	8	Sct	3018	73	66	3	7000	Cu			
05	050	2	8	Sct	3015	73	64	3	7000	Cu			
06	050	2	9	Sct	3016	74	66	5	7000	Cu			
07	050	2	9	Sct	3017	74	67	5	7000	Cu			
08	055	2	10	BKN	3017	75	69	7	7000	Cu			
09	055	2	10	BKN	3020	78	69	7	7000	Cu			
10	050	3	10	Sct	3021	79	71	6	7000	Cu			
11	050	3	10	Sct	3017	79	71	6	7000	Cu			
12	050	3	10	Sct	3015	82	70	6	7000	Cu			
13	050	3	10	BKN	3013	82	71	7	7000	Cu			
14	050	3	10	BKN	3012	83	72	7	7000	Cu			
15	050	3	10	BKN	3009	83	73	7	7000	Cu			
16	050	3	10	BKN	3009	85	73	7	7000	Cu			
17	050	3	10	BKN	3010	81	73	7	10000	Cu			
18	050	3	10	BKN	3011	81	73	7	10000	Cu			
19	050	3	10	BKN	3012	78	72	8	10000	Cu			
20	050	2	10	BKN	3013	75	71	8	10000	Cu			
21	050	2	10	BKN	3014	75	70	8	10000	Cu			
22	050	2	10	R	3015	76	70	10	10000	St			
23	050	2	10	R	3014	76	70	10	10000	St			
24	055	2	10	BKN	3015	74	70	8	10000	Cu			

POSITION	ZONE	TIME
0800		
L In port		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
264

REMARKS

00-04 Moored port side To Berth S-17 Forward, U.S. Naval Submarine Base, Pearl Harbor, Hawaii with STANDARD Mooring lines doubled. Receiving Fresh water, Telephone and electrical Services From The Pier. Material condition Yoke (Modified) is SET. Ships present include various units of The U.S. Pacific Fleet, Yard and District craft. SOPA is CINCPACFLT.

R D Mason, Stjg, USNR

04-08 Moored as before. 0745 Mustered The crew at quarters. Absentees none.

R D Mason, Stjg, USNR

APPROVED: C C Reed Lt U. S. N. COMMANDING

EXAMINED: R D Mason, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 28 (Date) FEBRUARY (Month) 1964

08-12 moored as before. 0935 made daily inspection of magazines. Conditions: Normal. Made weekly test of the magazine sprinkler system. Test, Satisfactory.

J.L. Hollis, CWO2, USN

12-16 moored as before.

J.L. Hollis, CWO2, USN

16-20 moored as before. 1800 set material condition yoke (modified). 1830 mustered the duty fire, damage control, and assistance party. Absentees: none.

J.L. Hollis, CWO2, USN

20-24 moored as before.

J.L. Hollis, CWO2, USN

APPROVED:

C.C. Reed Lt. U. S. N. COMMANDING

EXAMINED:

R.S. Mason, Stgj U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Saturday (Day) 29 (Date) Feb (Month), 19 64

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	2	10	Sct	3015	72	70	2	2000	Cu			
02	040	2	10	Sct	3014	72	70	2	2000	Cu			
03	040	2	10	Sct	3013	73	71	2	2000	Cu			
04	050	2	10	Sct	3012	73	70	2	2000	Cu			
05	050	4	10	Sct	3012	75	70	4	2000	Cu			
06	060	3	10	Sct	3011	76	70	1	2000	Cu			
07	040	1	10	Sct	3010	76	70	1	2000	Cu			
08	060	5	10	Sct	3010	77	71	1	2000	Cu			
09	060	2	10	Sct	3010	79	72	2	2000	Cu			
10	045	2	10	Sct	3009	80	72	2	2000	Cu			
11	050	2	10	Sct	3008	81	74	2	2000	Cu			
12	040	2	10	Sct	3008	83	75	3	2000	Cu			
13	050	1	10	Sct	3008	85	75	2	2000	Cu			
14	040	2	10	Sct	3007	86	74	2	2000	Cu			
15	040	2	10	Sct	3005	86	74	1	2000	Cu			
16	050	2	10	Sct	3005	85	73	1	2000	Cu			
17	040	2	10	Sct	3005	84	72	1	2000	Cu			
18	040	2	10	Sct	3004	82	71	1	1500	Cu			
19	060	1	10	Sct	3003	81	71	1	1500	Cu			
20	040	2	10	Sct	3003	80	71	1	1500	Cu			
21	035	3	10	Sct	3002	78	71	2	2500	Cu			
22	035	3	10	Sct	3002	78	70	2	2500	Cu			
23	040	3	10	Sct	3002	77	70	2	2500	Cu			
24	040	3	10	Sct	3002	76	70	2	2500	Cu			

POSITION	ZONE	TIME
0800		
L 1N point		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 moored port side to berth 17 Fwd. U.S. Naval Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Material Condition Yoke (Modified) Set. Receiving potable water Electrical power and telephone service from the pier. Ships present include various units of the U.S. Pacific Fleet District and Small Craft. SOPA is ComCPac Pac Fleet.

J. C. Hollis, CWO2 USN

04-08 moored as before; 0745 mustered the crew on stations, Absentees: None.

J. C. Hollis, CWO2, USN

APPROVED: C. C. Reed Lt U. S. N. COMMANDING

EXAMINED: R. S. Mason, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Saturday (Day) 29 (Date) Feb (Month), 19 64

08-12 Moored as before 0925 Made daily inspection of magazine conditions normal.

R. M. Turner Ens USNR

12-16 ~~Made~~ Moored as before

R M Turner Ens USNR

16-20 Moored as before 1800 Set material condition modified Yoke

R M Turner Ens USNR

20-24 Moored as before

R M Turner Ens USNR

APPROVED: C C Reed Lt U. S. N. COMMANDING

EXAMINED: R J Mason Lt(jg) U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) _____ (Date) _____ (Month), 19____

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR